

PHOENIX® INTEGRATED ELECTRONIC HEALTH RECORDS ISIS® INTEGRATED HOSPITAL INFORMATION MANAGEMENT SYSTEM



Preserving Life's Most Valuable Asset...
OUR HEALTH

170.315(G)(3) SAFETY-ENHANCED DESIGN

EHR USABILITY TEST REPORT

PHOENIX® INTEGRATED ELECTRONIC HEALTH RECORDS ISIS® INTEGRATED HOSPITAL INFORMATION MANAGEMENT SYSTEM VERSION 10

Report based on NISTIR 7742 Common Industry Format for Usability Test Reports

Presented To

INFO GARD

Meaningful Use 2015-2017, Stage 3

Date: June 11, 2016

Standards

Report based on NISTIR 7742 Common Industry Format for Usability Test Reports

Full Name of Product and Version Tested

1. PHOENIX[®] INTEGRATED ELECTRONIC HEALTH RECORDS VERSION 10

2. ISIS[©] INTEGRATED HOSPITAL INFORMATION MANAGEMENT SYSTEM VERSION 10

Date of Usability Test Was Conducted: May 4, 2016

Date of Report Was Prepared: June 17, 2016

Report Prepared By:

Name of System Test Laboratory (STL): Roseland Technologies Corporation

STL Contact Person, Title and Affiliation: Kwabena Nantwi, CEO

STL Phone Number: 773-301-7085

STL Email Address: kwabena@roselandtechnologies.com **STL Mailing Address:** 1408 S. King Dr. Chicago IL 60615

Table of Contents

| 1 | EXECUTIVE SUMMARY | 4 |
|-----|--------------------------|----|
| 2 | INTRODUCTION | 9 |
| 3 | METHOD | 10 |
| 3-1 | PARTICIPANTS | 10 |
| 3-2 | STUDY DESIGN | 11 |
| 3-3 | TASKS | 11 |
| 3-4 | PROCEDURE | 12 |
| 3-5 | TEST LOCATION | 13 |
| 3-6 | TEST ENVIRONMENT | 13 |
| 3-7 | TEST FORMS AND TOOLS | 13 |
| 3-8 | PARTICIPANT INSTRUCTIONS | 14 |
| 3-9 | USABILITY METRICS | 14 |
| 3 | RESULTS | 16 |
| 4 | APPENDICES | 18 |

1 EXECUTIVE SUMMARY

A usability test of Phoenix[©] Integrated Electronic Health Records, Version 10 and ISIS[©] Integrated Hospital Information Management System, Version 10 ("E*HealthLine EHR") practice and hospital was conducted on May 4, 2016 in 11408 S. King Dr. Chicago IL 60615 by Roseland Technologies Corporation.

Phoenix Integrated Health Records, Version 10 and ISIS Integrated Hospital Information Management System Version 10 ("E*HealthLine EHR") will henceforth be described as the "EHR Under Test (EHRUT)"

The purpose of this test was to test and validate the usability of the current user interface, and provide evidence of usability in the EHR Under Test (EHRUT). During the usability test, 25 healthcare providers and other intended users matching the target demographic criteria served as participants and used the EHRUT in simulated, but representative tasks.

This study collected performance data on 12 tasks typically conducted on an EHR:

- 1. § 170.315 (a)(1) Computerized Provider Order Entry (CPOE) medications
- 2. § 170.315 (a)(2) CPOE laboratory
- 3. § 170.315 (a)(3) CPOE diagnostic imaging
- 4. § 170.315 (a)(4) Drug-drug, Drug-allergy Interaction Checks for CPOE
- 5. § 170.315 (a)(5) Demographics
- 6. § 170.315 (a)(6) Problem List
- 7. § 170.315 (a)(7) Medication List
- 8. § 170.315 (a)(8) Medication Allergy List
- 9. § 170.315 (a)(9) Clinical Decision Support
- 10. § 170.315 (a)(14) Implantable Device List
- 11. § 170.315 (b)(2) Clinical Information Reconciliation and Incorporation
- 12. § 170.315 (b)(3) Electronic Prescribing

During the 60 minute one-on-one usability test, each participant was greeted by the administrator and asked to review and sign an informed consent/release form (included in Appendix 3); they were instructed that they could withdraw at any time. Participants did not have prior experience with the EHR. ¹ The administrator introduced the test, and instructed participants to complete a series of tasks (given one at a time) using the EHRUT. During the testing, the administrator timed the test and, along with the data logger(s) recorded user performance data on paper and electronically. The administrator did not give the participant assistance in how to complete the task.

Participant screens, head shots and audio were recorded for subsequent analysis.

The following types of data were collected for each participant:

Number of tasks successfully completed within the allotted time without assistance

Time to complete the tasks

Number and types of errors

Path deviations

Participant's verbalizations

Participant's satisfaction ratings of the system

The principle guideline used in the process of the design of Phoenix[©] Integrated Electronic Health Records, Version 10 and ISIS[©] Integrated Hospital Information Management System; Version 10 was the ISO 9241-11 Standard, with emphasis on Efficiency, Effectiveness and Satisfaction of user experience.

¹ Training and help materials were provided. all participants be given the opportunity to complete training similar to what a real end user would receive prior to participating in the usability test

All participant data was de-identified – no correspondence could be made from the identity of the participant to the data collected. Following the conclusion of the testing, participants were asked to complete a post-test questionnaire and were compensated with [insert dollar amount or other incentive] for their time. Various recommended metrics, in accordance with the examples set forth in the NIST Guide to the Processes Approach for Improving the Usability of Electronic Health Records, were used to evaluate the usability of the EHRUT. Following is a summary of the performance and rating data collected on the EHRUT.

| Measure/ Task | 3.7 | Task | Task | Path Deviation | Task Time (Sec) | | I | Errors | Task Ratings |
|----------------------------------|-----|---------|-----------|---------------------|-----------------|------------|---|--------|-----------------|
| | N | Success | Success | | | | | | 5=Easy |
| | | | | Deviations | Mean | Deviations | % | Mean | Mean |
| | | (%) | | (Observed/ Optimal) | (SD) | (Observed/ | | (SD) | (SD) |
| | # | | Mean (SD) | | | Optimal) | | | |
| 1. §170.315(a)(1)Computerize | 25 | 100 | 0.1101 | 4/4 | 0.1608 | 53/31 | 0 | 0.3648 | 4 |
| d Provider Order Entry | | | | | | | | | (0.8) |
| (CPOE) - | | | | | | | | | , , |
| medications | | | | | | | | | |
| 2. §170.315 (a)(2) CPOE - | 25 | 100 | 0.1101 | 4/4 | 0.1608 | 53/31 | 0 | 0.3648 | 4 |
| laboratory | | | | | | | | | (0.8) |
| 3. §170.315 (a)(3) CPOE - | 25 | 100 | 0.1572 | 7/6 | 0.1499 | 49/35 | 0 | 0.3648 | 4 |
| diagnostic imaging | | | | | | | | | (0.8) |
| 4. §170.315 (a)(4) Drug-drug, | 25 | 96 | 0.1201 | 5/5 | 0.1499 | 32/35 | 4 | 0.3162 | 5 |
| Drug-allergy Interaction | | | | | | | | | (0.6) |
| Checks for CPOE | | | | | | | | | , , |
| 5. §170.315(a)(5) | | 100 | 0.1201 | 5/5 | 0.1499 | 32/30 | 0 | 0.3162 | 5 |
| Demographics | 25 | | | , | | | | | (0.6) |
| 6. § 170.315 (a)(6) Problem List | | 100 | 0.1201 | 5/6 | 0.1499 | 225/180 | 0 | 0.3162 | 5 |
| 1,7,7 | 25 | | | | | | | | (0.6) |
| 7. § 170.315 (a)(7) Medication | | 100 | 0.1201 | 5/5 | 0.1499 | 200/180 | 0 | 0.3162 | 5 |
| List | 25 | | | , | | | | | (0.6) |
| 8. §170.315(a)(8) Medication | 25 | 99 | 0.1201 | 5/5 | 0.1372 | 40/35 | 1 | 0.3162 | 5 |
| Allergy List | | | | , | | • | | | (0.6) |
| 9. §170.315(a)(9)Clinical | 25 | 98 | 0.1572 | 4/6 | 0.1372 | 225/180 | 2 | 0.3648 | 4 |
| Decision Support | | | | , | | | | | (0.8) |
| 10. §170.315 (a)(14) Implantable | 25 | 100 | 0.1201 | 5/5 | 0.1608 | 53/40 | 0 | 0.3162 | 5 |
| Device List | | | | , | | | | | (0.6) |
| 11. §170.315(b)(2)Clinical | 25 | 100 | 0.1201 | 9/6 | 0.1608 | 53/40 | 0 | 0.3162 | 5 |
| Information Reconciliation and | | | | , | | • | | | (0.6) |
| Incorporation | | | | | | | | | |
| 12. §170.315(b)(3) Electronic | 25 | 99 | 0.1572 | 4/4 | 0.1499 | 35/35 | 1 | 0.3648 | 4 |
| Prescribing | | | | • | | | | | (0.8) |

Confidence Level =99%

The results from the System Usability Scale scored the subjective satisfaction with the system based on performance with these tasks to be 99.²

Verbal feedback as well as task ratings conclude that there is a high level of comfort and overall satisfaction with the system. Specifically, users stated that the system is "simple and intuitive," "user friendly," and "organized logically." These statements, along with other participant verbalizations, suggest a high level of usability within the system.

² See Tullis, T. & Albert, W. (2008). Measuring the User Experience. Burlington, MA: Morgan Kaufman (p. 149). Broadly interpreted, scores under 60 represent systems with poor usability; scores over 80 would be considered above average.

NISTIR 7742 Usability Testing Version 0.2

In addition to the performance data, the following qualitative observations were made:

MAJOR FINDINGS

- Task Completion Rates: 99.69% completion rates
- Task Failure Rates: 0.31%

| Participant | Task 1 | Task 2 | Task 3 | Task 4 | Task 5 | Task 6 | Task 7 | Task 8 | Task 9 | Task 10 | Task 11 | Task 12 | Task 13 |
|---------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|
| 1 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 2 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 3 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 4 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 5 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 6 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 7 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 8 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 9 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 10 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 11 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 12 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 13 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 14 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 15 | √ | √ | √ | X | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 16 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 17 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 18 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 19 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 20 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 21 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 22 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 23 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 24 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 25 | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| Success | 25 | 25 | 25 | 24 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| Failure | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Completion Rates | 100% | 100% | 100% | 96% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Failure Rates | 0% | 0% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

After the completion of each task, participants rated the ease or difficult of completing the task for three factors:

- 1. It was easy to find my way to this information from the homepage.
- 2. As I was searching for this information, I was able to keep track of where I was in the website.
- **3.** Was able to accurately predict which section of the website contained this information.

TASK RATINGS

The 5-point rating scale ranged from 1 (Strongly disagree) to 5 (Strongly agree). Agree ratings are the agree and strongly agree ratings combined with a mean agreement ratings of > 4.0 considered as the user agrees that the information was easy to find, that they could keep track of their location and predict the section to find the information.

• Ease in Finding Information

All participants agreed it was easy to find treatment information (mean agreement rating = 4.7)

• Keeping Track of Location in Site

All the participants found it easy to keep track of their location in the site while finding treatment

information (mean agreement rating = 4.7)

• Time on Task

The testing software recorded the time on task for each participant. Some tasks were inherently more difficult to complete than others and is reflected by the average time on task.

Task 12 required participants to find prescription refill and took the longest time to complete (mean = 210 records).

• Overall Metrics

Overall Ratings

After task session completion, participants rated the site for eight overall measures These measures include:

- Ease of use
- Frequency of use
- Difficulty of keeping track of where they were in the site
- How quickly most people would learn to use the site
- Getting information quickly
- Homepage's content facilities exploration
- Relevancy of site content
- Site organization

Post-Task Overall Questionnaire

| | Strongly Disagree | Disagree | Neutral | Agree | Strongly Agree | Percent Agree |
|--|----------------------|----------|---------|-------|-------------------|------------------|
| Thought Website was easy to use | | | | | 25 | 100% |
| Would use website frequently | | | | 6 | 19 | 100% |
| Found it difficult to keep track of where they were in website | | | 2 | 1 | 22 | 92% |
| Thought most people would learn to use website quickly | | | | 8 | 17 | 100% |
| Can get information quickly | | | 1 | 8 | 16 | 92% |
| Homepage's content makes me want to explore site | | | | 2 | 23 | 100% |
| Site's content would keep me coming back | | | 2 | 6 | 17 | 92% |
| Website is well organized | | | | 6 | 19 | 100% |

^{*}Percent Agree (%) = Agree & Strongly Agree Responses combined

AREAS FOR IMPROVEMENT

Recommendations:

The recommendations section provides recommended changes and justifications driven by the participant success rate, behaviors, and comments. Each recommendation includes a severity rating. The following recommendations will improve the overall ease of use and address the areas

| Change | Justification | Severity |
|-----------------------------------|---|----------|
| Background color | Four participants had suggested minor background color changes, making these enhancements will improve the overall all user experience of the system. | Low |
| Add categories to Medication List | Medication history list was too long | Low |

Most of the participants found Phoenix[©] Integrated Electronic Health Records and ISIS[©] Integrated Hospital Information Management System EHR to be well-organized, comprehensive, clean and uncluttered, very useful, and easy to use.

Having a centralized site to find information is key to many if not all of the participants. Implementing the recommendations and continuing to work with users (i.e., real lay persons) will ensure a continued user-centered Phoenix[©] Integrated Electronic Health Records and ISIS[©] Integrated Hospital Information Management System (E*HealthLine) EHR.

2 INTRODUCTION

The EHRUT(s) tested for this study were Phoenix© Integrated Electronic Health Records, Version 10 and ISIS© Integrated Hospital Information Management System, Version 10. Designed to present medical information to healthcare providers in clinical and hospital, the EHRUT consists of Integrated Electronic Health Records.

The principle guideline used in the process of the design of Phoenix[©] Integrated Electronic Health Records, Version 10 and ISIS[©] Integrated Hospital Information Management System; Version 10 was the ISO 9241-11 Standard, with emphasis on Efficiency, Effectiveness and Satisfaction of user experience.

PHOENIX[©] Electronic Medical Record provides lifelong clinical information to care providers whenever and wherever this information is needed. **PHOENIX**[©] EMR obtains vital information from all points throughout the enterprise (hospitals, physician offices, and clinics) and displays it in integrated views at the point of care. With E*HealthLine's integrated, web-based technology, the EMR is updated in "real time". Features Include:

- 1. Streamline patient visits
- 2. Enhance patient care
 - E*HealthLine's offers a broad range of embedded clinical content, plus the flexibility to customize / design encounter forms, add content, and adapt the program to suit specific needs
- 3. Intelligent decision support tools integrated within the workflow, bring critical information to the point of care, facilitating informed treatment Decisions.
- 4. Automatic reminders alert Automated orders and results.
- 5. Provides a secure, complete view of the patient's clinical data across the care continuum
- 6. Clinical orders and results are electronically sent and received
- 7. Online Electronic prescription writer and medication history manager that automatically checks for formulary compliance, drug/drug, drug/disease and drug/allergy interactions.
- 8. Electronic Prescribing
- 9. Powerful E&M advisor assists with coding accuracy
- 10. Security allows user-defined, restricted access to patient records.
- 11. Provides audit trails documenting every chart action.

ISIS© is a comprehensive "award winning" integrated solution providing hospitals with dynamic paperless information management technology that synchronizes not only the workflow, but also the process flow across the entire enterprise. ISIS© functions as an intuitive workflow process, enabling the management of patient care, patient safety, administrative transactions and financial transactions to facilitate the healthcare enterprise in making accurate and faster decisions and to eliminate medical errors and improve patient safety and outcomes.

ISIS© INTEGRATED HOSPITAL INFORMATION MANAGEMENT SYSTEM

Features include:

- Patient Admission, Discharge, Transfer
- Scheduling
- Bed Management
- Patient Care
- Department Ordering
- Materials Management
- Patient Accounting

The usability testing attempted to represent realistic exercises and conditions.

The purpose of this study was to test and validate the usability of the current user interface, and provide evidence of usability in the EHR Under Test (EHRUT). To this end, measures of effectiveness, efficiency and user satisfaction, such as Ease in Finding Information, Time on Task, Ease of use, Frequency of use, Site organization, were captured during the usability testing.

3 METHOD

3-1 PARTICIPANTS

Twenty five participants were scheduled over the two testing dates. Twenty five of the Twenty five participants completed the test. Seventeen participants were involved in testing on May 21st and eight on May 22nd. Of the Twenty five participants, eighteen were male and seven were female.

A total of Twenty five participants were tested on the EHRUT(s). Participants in the test were physicians, nurses and Medical assistant. Participants were recruited by Roseland technology and were compensated \$100.00 for their time. In addition, participants had no direct connection to the development of or organization producing the EHRUT(s). Participants were not from the testing or supplier organization. Participants were given the opportunity to have the same orientation and level of training as the actual end users would have received.

For the test purposes, end-user characteristics were identified and translated into a recruitment screener used to solicit potential participants; an example of a screener is provided in Appendix [1].

Recruited participants had a mix of backgrounds and demographic characteristics conforming to the recruitment screener. The following is a table of participants by characteristics, including demographics, professional experience, computing experience and user needs for assistive technology. Participant names were replaced with Participant IDs so that an individual's data can not be tied back to individual identities.

| | | | | | Occupation/ | Professional | Computer | Product | Assistive |
|----|---------|--------|-----|-----------|-------------|--------------|----------|---------|------------------|
| | Part ID | Gender | Age | Education | role | | | | Technology Needs |
| 1 | 12455 | Male | 44 | MD | MD | 60 | 288 | 0 | NO |
| 2 | 12456 | Female | 36 | MD | MD | 72 | 144 | 0 | NO |
| 3 | 12457 | Female | 51 | MD | MD | 132 | 252 | 0 | NO |
| 4 | 12458 | Male | 49 | MD | MD | 108 | 228 | 0 | NO |
| 5 | 12459 | Female | 35 | MD | MD | 48 | 180 | 0 | NO |
| 6 | 12460 | Female | 31 | MD | MD | 36 | 132 | 0 | NO |
| 7 | 12461 | Female | 33 | MD | MD | 48 | 156 | 0 | NO |
| 8 | 12462 | Female | 39 | RN | RN | 36 | 228 | 0 | No |
| 9 | 12463 | Female | 38 | RN | RN | 72 | 216 | 0 | No |
| 10 | 12464 | Male | 42 | RN | RN | 168 | 144 | 0 | No |
| 11 | 12465 | Female | 28 | RN | RN | 36 | 144 | 0 | No |
| 12 | 12466 | Female | 26 | RN | RN | 24 | 108 | 0 | No |
| 13 | 12467 | Male | 34 | RN | RN | 72 | 120 | 0 | No |
| 14 | 12468 | Female | 38 | RN | RN | 108 | 132 | 0 | No |
| 15 | 12469 | Female | 31 | RN | RN | 36 | 132 | 0 | No |
| 16 | 12470 | Female | 36 | RN | RN | 72 | 180 | 0 | No |
| 17 | 12471 | Male | 37 | RN | RN | 48 | 192 | 0 | No |
| 18 | 12472 | Male | 46 | RN | RN | 180 | 252 | 0 | No |
| 19 | 12473 | Male | 29 | RN | RN | 36 | 108 | 0 | No |
| 20 | 12474 | Male | 30 | RN | RN | 24 | 108 | 0 | No |
| 21 | 12475 | Male | 42 | RN | RN | 120 | 132 | 0 | No |
| 22 | 12476 | Male | 34 | RN | RN | 60 | 156 | 0 | No |
| 23 | 12477 | Male | 24 | MA | MA | 36 | 96 | 0 | No |
| 24 | 12478 | Male | 24 | MA | MA | 24 | 84 | 0 | No |
| 25 | 12479 | Male | 24 | MA | MA | 48 | 108 | 0 | No |
| N | | 25 | | | | | | | |

Twenty five participants (matching the demographics in the section on Participants) were recruited and Twenty five, i.e., total number of participants who showed participated showed in the usability test. no participants failed to show for the study.

Participants were scheduled for 60 minutes sessions with 30 minutes at the beginning of the session for debrief by the administrator(s) and data logger(s), and to reset systems to proper test conditions. A spreadsheet was used to keep track of the participant schedule, and included each participant's demographic characteristics as provided by the recruiting firm.

3-2 STUDY DESIGN

STUDY DESIGN

Overall, the objective of this test was to uncover areas where the application performed well – that is, effectively, efficiently, and with satisfaction – and areas where the application failed to meet the needs of the participants. The data from this test may serve as a baseline for future tests with an updated version of the same EHR and/or comparison with other EHRs provided the same tasks are used. In short, this testing serves as both a means to record or benchmark current usability, but also to identify areas where improvements must be made.

During the usability test, participants interacted with two EHR(s).

Each participant used the system in the same location, and was provided with the same instructions. The system was evaluated for effectiveness, efficiency and satisfaction as defined by measures collected and analyzed for each participant:

| 25 | Number of tasks successfully completed within the allotted time without assistance |
|--------|--|
| 60 min | Time to complete the tasks |
| 1 | Number and types of errors |
| 0.1201 | Path deviations |
| 25 | Participant's verbalizations (comments) |
| 92-100 | Participant's satisfaction ratings of the system |
| | |

3-3 TASKS

TASKS

A number of tasks were constructed that would be realistic and representative of the kinds of activities a user might do with this EHR, including:

Task 1-4: Computerized Provider Order Entry (CPOE)

- 1. CPOE Medications
- 2. CPOE laboratory
- 3. CPOE diagnostic imaging
- 4. CPOE Drug-drug, Drug-allergy Interaction Checks for CPOE

Task 5-11: Patient Summary Screen

- 5. Demographics
- 6. Problem List
- 7. Medication List
- 8. Medication Allergy List
- 9. Clinical Decision Support
- 10. Implantable Device List
- 11. Clinical Information Reconciliation and Incorporation

Task 12: Electronic Prescribing

Tasks were selected based on their frequency of use, criticality of function, and those that may be most troublesome for users. ³ Tasks should always be constructed in light of the study objectives.

³ Constructing appropriate tasks is of critical importance to the validity of a usability test. These are the actual functions, but most tasks contain larger and more fleshed out context that aligns with the sample data sets available in the tested EHR. Please consult usability references for guidance on how to construct appropriate tasks.

3-4 PROCEDURE

PROCEDURES

Upon arrival, participants were greeted; their identity was verified and matched with a name on the participant schedule. Participants were then assigned a participant ID. ⁴ Each participant reviewed and signed an informed consent and release form (See Appendix 3). A representative from the test team witnessed the participant's signature.

To ensure that the test ran smoothly, two staff members participated in this test, the usability administrator and the data logger. The usability testing staff conducting the test was experienced usability practitioners with 3-5 years of experience as usability specialist, and usability analyst. Educational backgrounds: Bachelor's degree in design, human-computer interaction (HCI), or equivalent professional experience as an interactive/user experience designer

Qualifications: Ability to define patterns and advocate for consistency, without repressing inspiration or inhibiting innovation, Proficiency in a variety of design tools, Excellent communication, presentation, interpersonal and analytical skills including the ability to communicate complex, interactive design concepts clearly and persuasively across different audiences and varying levels of the organization, Experience driving user research/usability tests and interpreting usability test data

Administrator(s) and data logger(s)].

The administrator moderated the session including administering instructions and tasks. The administrator also monitored task times, obtained post-task rating data, and took notes on participant comments. A second person served as the data logger and took notes on task success, path deviations, number and type of errors, and comments.

Participants were instructed to perform the tasks (see specific instructions below):

- As quickly as possible making as few errors and deviations as possible.
- Without assistance; administrators were allowed to give immaterial guidance and clarification on tasks, but not instructions on use.
- Without using a think aloud technique.

For each task, the participants were given a written copy of the task. Task timing began once the administrator finished reading the question. The task time was stopped once the participant indicated they had successfully completed the task. Scoring is discussed below in Section 3.9.

Following the session, the administrator gave the participant the post-test questionnaire (e.g., the System Usability Scale, see Appendix 5), compensated them for their time, and thanked each individual for their participation.

Participants' demographic information, task success rate, time on task, errors, deviations, verbal responses, and post-test questionnaire were recorded into a spreadsheet.

Participants were thanked for their time and compensated. Participants signed a receipt and acknowledgement form (See Appendix 6) indicating that they had received the compensation.

-

⁴All participant data must be de-identified and kept confidential.

3-5 TEST LOCATION

TEST LOCATION

The test facility included a waiting area and a quiet testing room with a table, computer for the participant, and recording computer for the administrator. Only the participant and administrator were in the test room. All observers and the data logger worked from a separate room where they could see the participant's screen and face shot, and listen to the audio of the session. To ensure that the environment was comfortable for users, noise levels were kept to a minimum with the ambient temperature within a normal range. All of the safety instruction and evacuation procedures were valid, in place, and visible to the participants.

3-6 TEST ENVIRONMENT

TEST ENVIRONMENT

The EHRUT would be typically be used in a healthcare office or facility. In this instance, the testing was conducted in larger usability lab is a large three-room suite designed to accommodate focus groups, eyetracking as well as individual or multi-user usability testing The three-room suite can comfortably seat up to 30 observers, Real time remote observations via a live video stream and Wifi is available for clients.⁵ For testing, the computer used is a HP 251-a123wb Desktop PC with Intel Pentium J2900 Processor, 4GB Memory, 21.5" Monitor, 1TB Hard Drive and running Windows 10 operating system. The participants used mouse and keyboard when interacting with the EHRUT.

The EHRUT used 21.5" Monitor. The application was set up by the test laboratory according to the E*HealthLine's documentation describing the system set-up and preparation. The application itself was running on a Windows 10 operating system utilizing Microsoft SQL Enterprise Database on a WAN connection. Technically, the system performance response time (i.e., response time) was representative to what actual users would experience in a field implementation. Additionally, participants were instructed not to change any of the default system settings such as control of font size

3-7 TEST FORMS AND TOOLS

TEST FORMS AND TOOLS

During the usability test, various documents and instruments were used, including:

- Informed Consent
- 2. Moderator's Guide
- 3. Post-test Questionnaire
- 4. Incentive Receipt and Acknowledgment Form
- 5. Post-test Questionnaire
- Incentive Receipt and Acknowledgment Form

Examples of these documents can be found in Appendices 3-6 respectively. The Moderator's Guide was devised so as to be able to capture required data.

The participant's interaction with the EHRUT was captured and recorded digitally with screen capture software running on the test machine. A video and web camera recorded each participant's facial expressions synced with the screen capture, and verbal comments were recorded with a microphone.

⁵ The test session were electronically transmitted to a nearby observation room where the data logger observed the test session.

⁶ There are a variety of tools that record screens and transmit those recordings across a local area network for remote observations.

3-8 PARTICIPANT INSTRUCTIONS

PARTICIPANT INSTRUCTIONS

The administrator reads the following instructions aloud to the each participant (also see the full moderator's guide in Appendix [B4]):

Thank you for participating in this study. Your input is very important. Our session today will last about 60 minutes. During that time you will use an instance of an electronic health record. I will ask you to complete a few tasks using this system and answer some questions. You should complete the tasks as quickly as possible making as few errors as possible. Please try to complete the tasks on your own following the instructions very closely. Please note that we are not testing you we are testing the system, therefore if you have difficulty all this means is that something needs to be improved in the system. I will be here in case you need specific help, but I am not able to instruct you or provide help in how to use the application.

Overall, we are interested in how easy or how difficult this system is to use, what in it would be useful to you, and how we could improve it. I did not have any involvement in its creation, so please be honest with your opinions. All of the information that you provide will be kept confidential and your name will not be associated with your comments at any time. Should you feel it necessary you are able to withdraw at any time during the testing.

Following the procedural instructions, participants were shown the EHR and as their first task, were given time 15 minutes to explore the system and make comments. Once this task was complete, the administrator gave the following instructions:

For each task, I will read the description to you and say "Begin." At that point, please perform the task and say "Done" once you believe you have successfully completed the task. I would like to request that you not talk aloud or verbalize while you are doing the tasks. 2 I will ask you your impressions about the task once you are done.

Participants were then given Four (4) tasks to complete. Tasks are listed in the moderator's guide in Appendix [B4].

3-9 USABILITY METRICS

USABILITY METRICS

According to the NIST Guide to the Processes Approach for Improving the Usability of Electronic Health Records, EHRs should support a process that provides a high level of usability for all users. The goal is for users to interact with the system effectively, efficiently, and with an acceptable level of satisfaction. To this end, metrics for effectiveness, efficiency and user satisfaction were captured during the usability testing.

The goals of the test were to assess:

- 1. Effectiveness of E*HealthLine EHR by measuring participant success rates and errors
- 2. Efficiency of E*HealthLine EHR by measuring the average task time and path deviations
- 3. Satisfaction with E*HealthLine EHR by measuring ease of use ratings

⁷ Participants should not use a think-aloud protocol during the testing. Excessive verbalization or attempts to converse with the moderator during task performance should be strongly discouraged. Participants will naturally provide commentary, but they should do so, ideally, after the testing. Some verbal commentary may be acceptable between tasks, but again should be minimized by the moderator.

DATA SCORING

The following table (Table [x]) details how tasks were scored, errors evaluated, and the time data analyzed. 8

| Measures | Rationale and Scoring |
|---------------------------------|--|
| Effectiveness: | A task was counted as a "Success" if the participant was able to achieve the correct outcome, without |
| Task Success | assistance, within the time allotted on a per task basis. The total number of successes were calculated for each task and then divided by the total number of times that task was attempted. The results are provided as a percentage. Task times were recorded for successes. Observed task times divided by the optimal time for each task is a measure of optimal efficiency. Optimal task performance time, as benchmarked by expert performance under realistic conditions, is recorded when constructing tasks. Target task times used for task times in the Moderator's Guide must be operationally defined by taking multiple measures of optimal performance and multiplying by some factor [e.g., 1.25] that allows some time buffer because the participants are presumably not trained to expert performance. Thus, if expert, optimal performance on a task was [x] seconds then allotted task time performance was [x * 1.25] seconds. This ratio should be aggregated across tasks and reported with mean and variance scores. |
| Effectiveness: Task Failures | If the participant abandoned the task, did not reach the correct answer or performed it incorrectly, or reached the end of the allotted time before successful completion, the task was counted as an "Failures." No task times were taken for errors. The total number of errors was calculated for each task and then divided by the total number of times that task was attempted. Not all deviations would be counted as errors. This should also be expressed as the On a qualitative level, an enumeration of errors and error types should be collected. |
| Efficiency: Task Deviations | The participant's path (i.e., steps) through the application was recorded. Deviations occur if the participant, for example, went to a wrong screen, clicked on an incorrect menu item, followed an incorrect link, or interacted incorrectly with an on-screen control. This path was compared to the optimal path. The number of steps in the observed path is divided by the number of optimal steps to provide a ratio of path deviation. It is strongly recommended that task deviations be reported. Optimal paths (i.e., procedural steps) should be recorded when constructing tasks |
| Efficiency: Task Time | Each task was timed from when the administrator said "Begin" until the participant said, "Done." If he or she failed to say "Done," the time was stopped when the participant stopped performing the task. Only task times for tasks that were successfully completed were included in the average task time analysis. Average time per task was calculated for each task. Variance measures (standard deviation and standard error) were also calculated. |
| Satisfaction: Task Rating | Participant's subjective impression of the ease of use of the application was measured by administering both a simple post-task question as well as a post-session questionnaire. After each task, the participant was asked to rate "Overall, this task was:" on a scale of 1 (Very Difficult) to 5 (Very Easy). These data are averaged across participants. Common convention is that average ratings for systems judged easy to use should be 3.3 or above. To measure participants' confidence in and likeability of the E*HealthLine EHR overall, the testing team administered the System Usability Scale (SUS) post-test questionnaire. Questions included, "I think I would like to use this system frequently," "I thought the system was easy to use," and "I would imagine that most people would learn to use this system very quickly." See full System Usability Score questionnaire in Appendix 5. 11 |

Table 1. Details of how observed data were scored.

⁸An excellent resource is Tullis, T. & Albert, W. (2008). Measuring the User Experience. Burlington, MA: Morgan Kaufman. Also see

NISTIR 7742 Usability Testing Version 0.2

Page 15 of 41

www.measuringusability.com

Ser Tedesco and Tullis (2006) for a comparison of post-task ratings for usability tests. Tedesco, D. & Tullis, T. (2006) A comparison of methods for eliciting post-task subjective ratings in usability testing. Usability Professionals association Conference, June 12 – 16, Broomfield,

CO.

The SUS survey yields a single number that represents a composite measure of the overall perceived usability of the system. SUS scores have a range of 0 to 100 and the score is a relative benchmark that is used against other iterations of the system.

3 RESULTS

3-1 DATA ANALYSIS AND REPORTING

The results of the usability test were calculated according to the methods specified in the Usability Metrics section above. Participants who failed to follow session and task instructions had their data excluded from the analyses for this test there were not any data exclusions and there were not testing irregularities or issues that affected data collection or interpretation of the results.

The usability testing results for the EHRUT are detailed below (see Table 2 ¹⁴. The results should be seen in light of the objectives and goals outlined in Section 3.2 Study Design. The data should yield actionable results that, if corrected, yield material, positive impact on user performance.

| Measure/ Task | N | Task Success | Task Success | Path Deviation | Task Time (Sec) | | Er | rors | Task Ratings 5=Easy |
|---|----|-----------------|-----------------|-----------------------------------|-----------------|--------------------------------------|----|--------------|---------------------------|
| | # | (%) | Mean (SD) | Deviations (Observed/ Optimal) | Mean (SD) | Deviations (Observed/ Optimal) | % | Mean (SD) | Mean (SD) |
| 1. §170.315(a)(1)Computerize d Provider Order Entry (CPOE) – medications | 25 | 100 | 0.1101 | 4/4 | 0.1608 | 53/31 | 0 | 0.3648 | 4 (0.8) |
| 2. §170.315 (a)(2) CPOE – laboratory | 25 | 100 | 0.1101 | 4/4 | 0.1608 | 53/31 | 0 | 0.3648 | 4 (0.8) |
| 3. §170.315 (a)(3) CPOE – diagnostic imaging | 25 | 100 | 0.1572 | 7/6 | 0.1499 | 49/35 | 0 | 0.3648 | 4 (0.8) |
| 4. §170.315 (a)(4) Drug-drug, Drug-allergy Interaction Checks for CPOE | 25 | 96 | 0.1201 | 5/5 | 0.1499 | 32/35 | 4 | 0.3162 | 5 (0.6) |
| 5. §170.315(a)(5) Demographics | 25 | 100 | 0.1201 | 5/5 | 0.1499 | 32/30 | 0 | 0.3162 | 5 (0.6) |
| 6. § 170.315 (a)(6) Problem List | 25 | 100 | 0.1201 | 5/6 | 0.1499 | 225/180 | 0 | 0.3162 | 5 (0.6) |
| 7. § 170.315 (a)(7) Medication List | 25 | 100 | 0.1201 | 5/5 | 0.1499 | 200/180 | 0 | 0.3162 | 5 (0.6) |
| 8. §170.315(a)(8) Medication Allergy List | 25 | 99 | 0.1201 | 5/5 | 0.1372 | 40/35 | 1 | 0.3162 | 5 (0.6) |
| 9. §170.315(a)(9)Clinical Decision Support | 25 | 98 | 0.1572 | 4/6 | 0.1372 | 225/180 | 2 | 0.3648 | 4 (0.8) |
| 10. §170.315 (a)(14) Implantable Device List | 25 | 100 | 0.1201 | 5/5 | 0.1608 | 53/40 | 0 | 0.3162 | 5 (0.6) |
| 11. §170.315(b)(2)Clinical Information Reconciliation and Incorporation | 25 | 100 | 0.1201 | 9/6 | 0.1608 | 53/40 | 0 | 0.3162 | 5 (0.6) |
| 12. §170.315(b)(3) Electronic Prescribing | 25 | 99 | 0.1572 | 4/4 | 0.1499 | 35/35 | 1 | 0.3648 | 4 (0.8) |

Table 2. The results from the SUS (System Usability Scale) scored the subjective satisfaction with the system based on performance with these tasks to be 95 Broadly interpreted, scores under 60 represent systems with poor usability; scores over 80 would be considered above average. ¹⁵

Verbal feedback as well as task ratings conclude that there is a high level of comfort and overall satisfaction with the system. Specifically, users stated that the system is "simple and intuitive," "user friendly," and "organized logically." These statements, along with other participant verbalizations, suggest a high level of usability within the system.

^{14 &}lt;sup>12</sup> Note that this table is an example. You will need to adapt it to report the actual data collected.

^{15 13} See Tullis, T. & Albert, W. (2008). Measuring the User Experience. Burlington, MA: Morgan Kaufman (p. 149).

3-2 DISCUSSION OF THE FINDINGS

Most of the participants found Phoenix[©] Integrated Electronic Health Records, Version 10 and ISIS[©] Integrated Hospital Information Management System, Version 10 (E*HealthLine EHR) to be well-organized, comprehensive, clean and uncluttered, very useful, and easy to use. Having a centralized site to find information is key to many if not all of the participants. Implementing the recommendations and continuing to work with users (i.e., real lay persons) will ensure a continued user-centered E*HealthLine EHR.

DISCUSSION OF THE FINDINGS

| Measures | Findings |
|-----------------------|---|
| EFFECTIVENESS | The effectiveness of the EHRUT in light of the findings and based on the participants successfully completing the tasks without any path deviation, the mean successful task competition rate was at 99.69%, and Task Failure Percent was at 0.31%. This rate indicated that the participants had very little difficulty with the tasks. Even with no prior experience with an EHR system the tasks was successful performed. |
| EFFICIENCY | The efficiency of the EHRUT in light of the findings and based on the observations of the task time, most of the participants successfully completed tasks within an acceptable time. Some tasks were complete more quickly than the calculated optimal time; many were almost equal to this timing. |
| SATISFACTION | The satisfaction data of the EHRUT in light of the findings, based on the task ratings and SUS (System Usability Scale) results data the participants were generally satisfied with Phoenix® Integrated Electronic Health Records and ISIS® Integrated Hospital Information Management System. The results from the SUS scored the subjective satisfaction with the system based on performance with these tasks to be at 95%. Broadly interpreted, scores over 80% would be considered above average, suggesting that the system was easy to adapt to. Individual task satisfaction ratings were related to individual user performance. |
| MAJOR FINDINGS | The interpretation of the quantitative findings, verbal report of the participants, and observations from the administrators and data loggers, demonstrated considerably more positive attitudes indicating, that the system is very user friendly, comfortable navigating and managing within unfamiliar's system. |
| AREAS FOR IMPROVEMENT | The interpretation of the quantitative findings, verbal report of the participants, and observations from the administrators and data loggers, demonstrated that the system is easily adaptable, usable system with a relatively short learning curve. Four participants had suggested minor background color changes, making these enhancements will improve the overall all user experience of the system. |

Conclusion

Most of the participants found Phoenix® Integrated Electronic Health Records, Version 10 and ISIS® Integrated Hospital Information Management System, Version 10 (E*HealthLine EHR) to be well-organized, comprehensive, clean and uncluttered, and easy to use. Having a centralized site to find information is key to all of the participants. Implementing the recommendations and

continuing to work with users (i.e., real lay persons) will ensure a continued user-centered $E^*HealthLine\ EHR$.

4 APPENDICES

APPENDICES

The following appendices include supplemental data for this usability test report. Following is a list of the appendices provided:

- 1: Sample Recruiting screener
- 2: Participant demographics
- 3: Non-Disclosure Agreement (NDA) and Informed Consent Form
- 4: Example Moderator's Guide
- 5: System Usability Scale Questionnaire
- 6: Incentive receipt and acknowledgment form

4-1 APPENDIX 1: SAMPLE RECRUITING SCREENER

Appendix 1: SAMPLE RECRUITING SCREENER

Recruiting Script for Recruiting Firm

Hello, my name is John Scott, calling from Roseland Technologies Corporation. We are recruiting individuals to participate in a usability study for an electronic health record. We would like to ask you a few questions to see if you qualify and if would like to participate. This should only take a few minutes of your time. This is strictly for research purposes. If you are interested and qualify for the study, you will be paid \$100.00 to participate. Can I ask you a few questions?

- 1. [If not obvious] Are you male or female? [Recruit a mix of participants]
- 2. Have you participated in a focus group or usability test in the past xx months? [If yes, Terminate]
- 3. Do you, or does anyone in your home, work in marketing research, usability research, web design [...etc.]? [If yes, Terminate]
- 4. Do you, or does anyone in your home, have a commercial or research interest in an electronic health record software or consulting company? [If yes, Terminate]
- 5. Which of the following best describes your age? [23 to 39; 40 to 59; 60 to 74; 75 and older] [Recruit Mix]
- 6. Which of the following best describes your race or ethnic group? [e.g., Caucasian, Asian, Black/African-American, Latino/a or Hispanic, etc.]
- 7. Do you require any assistive technologies to use a computer? [if so, please describe]

Professional Demographics

8. What is your current position and title? (Must be healthcare provider)

RN: Specialty Physician: Specialty Resident: Specialty Administrative Staff Other [Terminate]

- 9. How long have you held this position?
- 10. Describe your work location (or affiliation) and environment? (Recruit according to the intended users of the application) [e.g., private practice, health system, government clinic, etc.]
- 11. Which of the following describes your highest level of education? [e.g., high school graduate/GED, some college, college graduate (RN, BSN), postgraduate (MD/PhD), other (explain)]

Computer Expertise

- 12. Besides reading email, what professional activities do you do on the computer? [e.g., access EHR, research; reading news; shopping/banking; digital pictures; programming/word processing, etc.] [If no computer use at all, Terminate]
- 13. About how many hours per week do you spend on the computer? [Recruit according to the demographics of the intended users, e.g., 0 to 10, 11 to 25, 26+ hours per week]
- 14. What computer platform do you usually use? [e.g., Mac, Windows, etc.]
- 15. What Internet browser(s) do you usually use? [e.g., Firefox, IE, AOL, etc.]
- 16. In the last month, how often have you used an electronic health record?
- 17. How many years have you used an electronic health record?
- 18. How many EHRs do you use or are you familiar with?
- 19. How does your work environment patient records? [Recruit according to the demographics of the intended users]

On paper

Some paper, some electronic

All electronic

Contact Information *If the person matches your qualifications, ask*

Those are all the questions I have for you. Your background matches the people we're looking for. [If you are paying participants or offering some form of compensation, mention] For your participation, you will be paid [\$100.0].

Would you be able to participate on May 4, 2016? [If so collect contact information]

May I get your contact information?

Name of participant:

Address:

City, State, Zip:

Daytime phone number:

Evening phone number:

Alternate [cell] phone number:

Email address:

Before your session starts, we will ask you to sign a release form allowing us to videotape your session. The videotape will only be used internally for further study if needed. Will you consent to be videotaped?

This study will take place at Roseland Technologies Corporation . I will confirm your appointment a couple of days before your session and provide you with directions to our office. What time is the best time to reach you?

4-2 Appendix 2: PARTICIPANT DEMOGRAPHICS

Appendix 2: PARTICIPANT DEMOGRAPHICS

The report should contain a breakdown of the key participant demographics. A representative list is shown below.

Following is a high-level overview of the participants in this study.

| Gender | | |
|----------------------|-------|--|
| Men | 13 | |
| Women | 12 | |
| Total (participants) | 25 | |
| Occupation/Role | | |
| RN/BSN | 15 | |
| Physician | 7 | |
| Admin Staff | 3 | |
| Total (participants) | 25 | |
| Years of Experience | | |
| Years experience | 3 -10 | |
| Facility Use of EHR | No | |
| All paper | Yes | |
| Some paper, some | No | |
| electronic | | |
| All electronic | No | |
| Total (participants) | 25 | |

As an appendix to the report, below the full participant breakdown (de-identified)

| | | | | | Occupation/ | Professional | Computer | Product | Assistive |
|----|---------|--------|-----|-----------|-------------|----------------|----------------|----------------|------------------|
| | Part ID | Gender | Age | Education | role | Experience (M) | Experience (M) | Experience (M) | Technology Needs |
| 1 | 12455 | Male | 44 | MD | MD | 60 | 288 | 0 | NO |
| 2 | 12456 | Female | 36 | MD | MD | 72 | 144 | 0 | NO |
| 3 | 12457 | Female | 51 | MD | MD | 132 | 252 | 0 | NO |
| 4 | 12458 | Male | 49 | MD | MD | 108 | 228 | 0 | NO |
| 5 | 12459 | Female | 35 | MD | MD | 48 | 180 | 0 | NO |
| 6 | 12460 | Female | 31 | MD | MD | 36 | 132 | 0 | NO |
| 7 | 12461 | Female | 33 | MD | MD | 48 | 156 | 0 | NO |
| 8 | 12462 | Female | 39 | RN | RN | 36 | 228 | 0 | No |
| 9 | 12463 | Female | 38 | RN | RN | 72 | 216 | 0 | No |
| 10 | 12464 | Male | 42 | RN | RN | 168 | 144 | 0 | No |
| 11 | 12465 | Female | 28 | RN | RN | 36 | 144 | 0 | No |
| 12 | 12466 | Female | 26 | RN | RN | 24 | 108 | 0 | No |
| 13 | 12467 | Male | 34 | RN | RN | 72 | 120 | 0 | No |
| 14 | 12468 | Female | 38 | RN | RN | 108 | 132 | 0 | No |
| 15 | 12469 | Female | 31 | RN | RN | 36 | 132 | 0 | No |
| 16 | 12470 | Female | 36 | RN | RN | 72 | 180 | 0 | No |
| 17 | 12471 | Male | 37 | RN | RN | 48 | 192 | 0 | No |
| 18 | 12472 | Male | 46 | RN | RN | 180 | 252 | 0 | No |
| 19 | 12473 | Male | 29 | RN | RN | 36 | 108 | 0 | No |
| 20 | 12474 | Male | 30 | RN | RN | 24 | 108 | 0 | No |
| 21 | 12475 | Male | 42 | RN | RN | 120 | 132 | 0 | No |
| 22 | 12476 | Male | 34 | RN | RN | 60 | 156 | 0 | No |
| 23 | 12477 | Male | 24 | MA | MA | 36 | 96 | 0 | No |
| 24 | 12478 | Male | 24 | MA | MA | 24 | 84 | 0 | No |
| 25 | 12479 | Male | 24 | MA | MA | 48 | 108 | 0 | No |
| N | _ | 25 | | | - | | | | |

4-3 Appendix 3: NON-DISCLOSURE AGREEMENT AND INFORMED CONSENT

Appendix 3: NON-DISCLOSURE AGREEMENT AND INFORMED CONSENT FORM

Non-Disclosure Agreement

THIS AGREEMENT is entered into as of April 5, 2016, between E*HealthLine com, Inc. ("the Participant") and the testing organization Roseland Technologies Corporation (*Test Company*) located at 1408 S. King Dr. Chicago IL 60615.

The Participant acknowledges his or her voluntary participation in today's usability study may bring the Participant into possession of Confidential Information. The term "Confidential Information" means all technical and commercial information of a proprietary or confidential nature which is disclosed by *Test Company*, or otherwise acquired by the Participant, in the course of today's study.

By way of illustration, but not limitation, Confidential Information includes trade secrets, processes, formulae, data, know-how, products, designs, drawings, computer aided design files and other computer files, computer software, ideas, improvements, inventions, training methods and materials, marketing techniques, plans, strategies, budgets, financial information, or forecasts.

Any information the Participant acquires relating to this product during this study is confidential and proprietary to *Test Company* and is being disclosed solely for the purposes of the Participant's participation in today's usability study. By signing this form the Participant acknowledges that s/he will receive monetary compensation for feedback and will not disclose this confidential information obtained today to anyone else or any other organizations.

| Participant's printed name: | | |
|-----------------------------|-------|--|
| | | |
| Signature: | Date: | |

Informed Consent

Roseland Technologies Corporation (*Test Company*) would like to thank you for participating in this study. The purpose of this study is to evaluate an electronic health records system. If you decide to participate, you will be asked to perform several tasks using the prototype and give your feedback. The study will last about 60 minutes. At the conclusion of the test, you will be compensated for your time.

Agreement

I understand and agree that as a voluntary participant in the present study conducted by *Test Company* I am free to withdraw consent or discontinue participation at any time. I understand and agree to participate in the study conducted and videotaped by the *Test Company*.

I understand and consent to the use and release of the videotape by *Test Company*. I understand that the information and videotape is for research purposes only and that my name and image will not be used for any purpose other than research. I relinquish any rights to the videotape and understand the videotape may be copied and used by *Test Company* without further permission.

I understand and agree that the purpose of this study is to make software applications more useful and usable in the future.

I understand and agree that the data collected from this study may be shared with outside of *Test Company* and *Test Company* is client. I understand and agree that data confidentiality is assured, because only de-identified data – i.e., identification numbers not names – will be used in analysis and reporting of the results.

I agree to immediately raise any concerns or areas of discomfort with the study administrator. I understand that I can leave at any time.

Please check one of the following:

| YES, I have read the above statement and agree to be a participant. |
|---|
| NO, I choose not to participate in this study. |
| |

| Signature: | |
|------------|--|
| | |
| Date: | |

4-4 Appendix 4: MODERATOR'S GUIDE

Appendix A4: MODERATOR'S GUIDE

EHRUT Usability Test

Moderator's Guide

| Administrator _ | JOSPH GARACIA | | |
|-------------------------|--|------|----------|
| Data Logger: | 05-04-2016 | | |
| Date: 05-0 | 14-2016 | Time | 10:00 AM |
| Participant # <u>25</u> | <u>; </u> | | |
| Location: Chica | go Illinois | | |

Prior to testing

Confirm schedule with Participants
Ensure EHRUT lab environment is running properly
Ensure lab and data recording equipment is running properly

Prior to each participant:

Reset application Start session recordings with *tool*

Prior to each task:

Reset application to starting point for next task

After each participant:

End session recordings with tool

After all testing

Back up all video and data files

Orientation 15 minutes

Thank you for participating in this study. Our session today will last 60 **minutes**. During that time you will take a look at an electronic health record system.

I will ask you to complete a few tasks using this system and answer some questions. We are interested in how easy (or how difficult) this system is to use, what in it would be useful to you, and how we could improve it. You will be asked to complete these tasks on your own trying to do them as quickly as possible with the fewest possible errors or deviations. Do not do anything more than asked. If you get lost or have difficulty I cannot answer help you with anything to do with the system itself. Please save your detailed comments until the end of a task or the end of the session as a whole when we can discuss freely.

I did not have any involvement in its creation, so please be honest with your opinions.

The product you will be using today is Phoenix[©] Integrated Electronic Health Records, Version 10, and ISIS[©] Integrated Hospital Information Management System, Version 10.

We are recording the audio and screenshots of our session today. All of the information that you provide will be kept confidential and your name will not be associated with your comments at any time.

Do you have any questions or concerns?

Preliminary Questions 15 minutes

What is your job title / appointment?

How long have you been working in this role?

What are some of your main responsibilities?

Tell me about your experience with electronic health records.

Task 1: First Impressions 5 Minutes

This is the application you will be working with. Have you heard of it? Yes No If so, tell me what you know about it.

Show test participant the EHRUT.

Please don't click on anything just yet. What do you notice? What are you able to do here? Please be specific.

Notes / Comments:

Task 2: Computerized Provider Order Entry (CPOE) - Medication 5 Minutes

Take the participant to the starting point for the task.

On her last visit, you order *Patient* the following prescriptions (do not e-prescribe or send to pharmacy in this task).

Rx:

Hydrochlorothiazide 50 mg tablet. (Generic Name: Hydrochlorothiazide, Trade Name-Aldactazide). Take1 tablet orally, once a day, for 30 days. 1 Refill, dispense: 30, substitution allowed.

Success:

Easily completed
Completed with difficulty or help:: Describe below
Not completed
Comments:

Task Time: 300 Seconds

Optimal Path: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below

Comments:

Observed Errors and Verbalizations:

Comments:

Rating:

Overall, this task was:

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 3: Computerized Provider Order Entry (CPOE) - laboratory 5 Minutes

| Take the participant to the starting point for the task. | | | | |
|--|--|--|--|--|
| On her last visit, you sent <i>Patient</i> to get the following laboratory tests Creatinine 24 H Urine Panel Cholesterol in HDL in serum or plasma Fasting Blood Glucose in serum or plasma | | | | |
| Locate these results and review the notes from the specialist. | | | | |
| Easily completed Completed with difficulty or help:: Describe below Not completed Comments: | | | | |
| Task Time: 300 Seconds | | | | |
| Optimal Path : Screen A · Screen B · Drop Down B ^l · "OK" Button · Screen X | | | | |
| Correct Minor Deviations / Cycles :: Describe below Major Deviations :: Describe below Comments: | | | | |
| Observed Errors and Verbalizations: Comments: | | | | |
| Rating: Overall, this task was: Show participant written scale: "Vary Difficult" (1) to "Vary Easy" (5) | | | | |
| Show participant written scale: "Very Difficult" (1) to "Very Easy" (5) Administrator / Notetaker Comments: | | | | |

Task 4: Computerized Provider Order Entry (CPOE) – Diagnostic Imaging 5 Minutes

Take the participant to the starting point for the task.

On her last visit, you sent *Patient* to get a colonscopy. Locate these results and review the notes from the specialist.

Success:

Easily completed
Completed with difficulty or help:: Describe below
Not completed
Comments:

Task Time: 300 Seconds

Optimal Path: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below
Comments:

Observed Errors and Verbalizations:

Comments:

Rating:

Overall, this task was:

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 5: Computerized Provider Order Entry (CPOE) – Drug-drug, Drug-allergy Interaction 2 Minutes

Take the participant to the starting point for the task.

Drug-drug Interaction:

Prescribe the drug below to patient and notice the drug-drug interaction notification:

ibuprofen 200 mg oral tablet (Trade Name: Motrin IB), OTC Branded, 1 tablet twice a day, for 30 days. Refills: 1

Drug-allergy Interaction

Prescribe another drug (below) for patient and notice the drug-allergy interaction notification.

Penicillin V potassium 500 mg oral tablet (Penicillin V Potassium), Rx Generic, 1 tablet once a day, for 5 days. No refills.

Success:

Easily completed
Completed with difficulty or help:: Describe below
Not completed
Comments:

Task Time: 2 Minutes

Optimal Path: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below
Comments:

Observed Errors and Verbalizations:

Comments:

Rating:

Overall, this task was:_____

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 6: Patient Summary Screen - Demographics 1 Minutes

Take the participant to the starting point for the task.

Before going into the exam room and you want to review *Patient's* demographics and chief complaint, history, and vitals. Find this information.

Success:

Easily completed Completed with difficulty or help :: Describe below Not completed

Comments:

Task Time: 60 Seconds

Optimal Path: Screen A · Screen B · Drop Down B^l · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below
Comments:

Observed Errors and Verbalizations:

Comments:

Rating:

Overall, this task was:

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 7: Patient Summary Screen - Problem List 2 Minutes

Take the participant to the starting point for the task.

Before going into the exam room and you want to review *Patient's* chief complaint, history, vitals and problem list. Find this information.

Success:

Easily completed Completed with difficulty or help :: Describe below Not completed

Comments:

Task Time: 120 Seconds

Optimal Path: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below
Comments:

Observed Errors and Verbalizations:

Comments:

Rating:
Overall, this task was:_____

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 8: Patient Summary Screen - Medication List 2 Minutes

Take the participant to the starting point for the task.

Your patient has told you that he is taking certain medications currently. Record the current medication list below for the patient:

• Klor-Con 10 mEq Extended Release Tablet (Generic: Potassium Chloride 10 mq oral tablet), one tablet, by oral route, two times a day for 10 days

Make a change to the above medication list by changing the dose from one tablet to **two tablets**.

• Klor-Con 10 mEq Extended Release Tablet, **two tablets**, by oral route, two times a day for 10 days.

Success: Easily completed Completed with difficulty or help:: Describe below Not completed Comments: Task Time: 120 Seconds **Optimal Path**: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X... Minor Deviations / Cycles :: Describe below Major Deviations :: Describe below Comments: **Observed Errors and Verbalizations:** Comments: Rating: Overall, this task was:___

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 9: Patient Summary Screen - Medication Allergy List 2 Minutes

Take the participant to the starting point for the task.

| Enter the following Allergies for patient: |
|--|
| Type: Medication |
| Allergen: Ampicillin Severity: Severe |
| Observed On: (enter today's date) |
| Status: Active |
| Reaction: Diarrhea |
| Type: Medication |
| Allergen: Ibuprofen |
| Severity: Severe |
| Observed On: (enter today's date) |
| Status: Active |
| Reaction: Respiratory distress |
| Reopen and deactivate the 'Ibuprofen' allergy |
| Success: Easily completed Completed with difficulty or help :: Describe below Not completed Comments: |
| Task Time: 120 Seconds |
| Optimal Path : Screen A · Screen B · Drop Down B^{l} · "OK" Button · Screen X |
| Correct Minor Deviations / Cycles :: Describe below Major Deviations :: Describe below Comments: |
| Observed Errors and Verbalizations: Comments: |
| Rating: Overall, this task was: |
| Show participant written scale: "Very Difficult" (1) to "Very Easy" (5) |
| Administrator / Notetaker Comments: |

Task 10: Patient Summary Screen - Clinical Decision Support 4 Minutes

Take the participant to the starting point for the task.

Before going into the exam room and you want to review Patient's chart. Find this information.

Perform the actions below and notice the CDS interventions.

Open a new chart note for patient 'Patient1 C1' and prescribe the antibiotic below.

• Cefprozil 250 MG Oral Tablet, orally, 1 tablet once a day, 10 days, no refills. Dispense: 10.

Success:

Easily completed
Completed with difficulty or help:: Describe below
Not completed
Comments:

Task Time: 240 Seconds

Optimal Path: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below
Comments:

Observed Errors and Verbalizations:

Comments:

Rating:

Overall, this task was:_____

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 11: Patient Summary Screen - Implantable Device List 2 Minutes

Take the participant to the starting point for the task.

Before going into the exam room and you want to review *Patient's* chart for implantable device list and problem list. Find this information.

Success:

Easily completed Completed with difficulty or help :: Describe below Not completed

Comments:

Task Time: 120 Seconds

Optimal Path: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below
Comments:

Observed Errors and Verbalizations:

Comments:

Rating:

Overall, this task was:

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 12: Patient Summary Screen - Clinical Information Reconciliation 5 Minutes

Take the participant to the starting point for the task.

Before going into the exam room and you want to review and reconcile *Patient's* clinical information to include, medication list, laboratory order list, and problem list. Find this information.

Success:

Easily completed Completed with difficulty or help :: Describe below Not completed

Comments:

Task Time: 300 Seconds

Optimal Path: Screen A · Screen B · Drop Down B¹ · "OK" Button · Screen X...

Correct
Minor Deviations / Cycles :: Describe below
Major Deviations :: Describe below
Comments:

Observed Errors and Verbalizations:

Comments:

Rating:

Overall, this task was:

Show participant written scale: "Very Difficult" (1) to "Very Easy" (5)

Task 13: Electronic Prescribing 5 Minutes

Administrator / Notetaker Comments:

Take the participant to the starting point for the task. Ensure that this patient has a drug-drug and a drug-food allergy to the drug chosen. This will put force the participant to find other drugs and use other elements of the application.

After examining *Patient*, you have decided to put this patient on a Statin – *drug name*. Check for any interactions and place an order for this medication.

| Easily completed Completed with difficulty or help :: Describe below Not completed Comments: | |
|---|--|
| Task Time: 300 Seconds | |
| Optimal Path : Screen A · Screen B · Drop Down B ¹ · "OK" Button · Screen X | |
| Correct Minor Deviations / Cycles :: Describe below Major Deviations :: Describe below Comments: | |
| Observed Errors and Verbalizations: Comments: | |
| Rating: Overall, this task was: Show participant written scale: "Very Difficult" (1) to "Very Easy" (5) | |
| Shell participant miner scare. Very Difficult (1) to Very Busy (5) | |

Final Questions 5 Minutes What was your overall impress

What aspects of the system did you like most?

What aspects of the system did you like least?

Were there any features that you were surprised to see?

What features did you expect to encounter but did not see? That is, is there anything that is missing in this application?

Compare this system to other systems you have used.

Would you recommend this system to your colleagues?

Administer the SUS

4-5 Appendix 5: SYSTEM USABILITY SCALE QUESTIONNAIRE

Appendix 5: SYSTEM USABILITY SCALE QUESTIONNAIRE

In 1996, Brooke published a "low-cost usability scale that can be used for global assessments of systems usability" known as the System Usability Scale or SUS. ¹⁴ Lewis and Sauro (2009) and others have elaborated on the SUS over the years. Computation of the SUS score can be found in Brooke's paper, in at http://www.usabilitynet.org/trump/documents/Suschapt.doc or in Tullis and Albert (2008). ¹⁵

Strongly

| disagree | ; | | | agree |
|----------|---|---|---|---|
| I | | | | |
| 1 | 2 | 3 | 1 | 5 |
| 1 | | <u> </u> | | 3 |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| | | | | |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| - | | | - | |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| | | | | |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| 1 | | | | |
| 1 | 2 | 2 | 4 | |
| <u>l</u> | 2 | - 3 | - 4 | 5 |
| i | | | | |
| | | | | |
| <u>l</u> | 2 | 3 | 4 | 5 |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| | | | · | |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| - | | - | = | - |
| | | | | |
| 1 | 2 | 3 | 4 | 5 |
| | | 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 | 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 | 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 |

Brooke, J.: SUS: A "quick and dirty" usability scale. In: Jordan, P. W., Thomas, B., Weerdmeester, B. A., McClelland (eds.) *Usability Evaluation in Industry* pp. 189–194. Taylor & Francis, London, UK (1996). SUS is copyrighted to Digital Equipment Corporation, 1986. Lewis, J R & Sauro, J. (2009) "The Factor Structure Of The System Usability Scale." in *Proceedings of the Human Computer Interaction International Conference (HCII 2009), San Diego CA, USA*

1. I think that I would like to use this system frequently

2.I found the system unnecessarily complex

3.I thought the system was easy to use

4.I think that I would need the support of a technical person to be able to use this system

5.I found the various functions in this system were well integrated

6.I thought there was too much inconsistency in this system

7.I would imagine that most people would learn to use this system very quickly

8.I found the system very cumbersome to use

9.I felt very confident using the system

10. I needed to learn a lot of things before I could get going with this system

NISTIR 7742 Usability Testing Version 0.2

Page 39 of 41

Strongly

4-6 APPENDIX 6: INCENTIVE RECEIPT AND ACKNOWLEDGMENT FORM

Appendix 6: INCENTIVE RECEIPT AND ACKNOWLEDGMENT FORM Acknowledgement of Receipt

| I hereby acknowledge receipt of \$100.00 for my Corporation (Test Company). | participation in a re | search study run | oy Roseland | Technologies |
|---|-----------------------|------------------|-------------|--------------|
| Printed Name: | | | | |
| Address: | | | | |
| Signature: | _ Date: | | | |
| Usability Researcher: | | | | |
| Signature of Usability Researcher: | | | | |
| Date: | | | | |
| Witness: | | | | |
| Witness Signature: | | | | |
| Date: | | | | |
| | | | | |



EMBRACING NEW TECHNOLOGY

FOR THE

FUTURE OF HEALTHCARE

AN INNOVATIVE HEALTHCARE INFORMATION INFRASTRUCTURE ENABLING AN INTERNET WEB

ENVIRONMENT, WHICH EMBODIES THE NEW PARADIGM OF HEALTHCARE APPLICATIONS WITH REALITY-BASED INTERFACES.

E*HealthLine.com, Inc. 2450 Venture Oaks Way Sacramento, California 95833 USA Phone: (916) 924-8092

> Fax: (916) 924-8209 www.ehealthline.com