

2023

Safety Enhanced & Design

System Usability Report

Prepared By:

Nouman Zafar

Reviewed By:

Faisal Shahzad Omer Javaid

Approved By:

Umer Sohail

Report Date

08/15/2023

Usability Test Date

08/01/2023

08/03/2023

08/04/2023

Document Owner

Umer Sohail



Table of Contents

Executive Summary	3
Introduction	12
Methods	12
PARTICIPANTS	12
Study Design	13
Tasks	13
Procedures	15
TEST LOCATION	15
TEST ENVIRONMENT	15
TEST FORMS AND TOOLS	15
PARTICIPANT INSTRUCTIONS	16
USABILITY METRICS	16
DATA SCORING	16
RESULTS	17
Major Findings	25
Areas For Improvement	25
Discussions of the Findings	25
Effectiveness:	25
Efficiency:	25
Satisfactions:	25
Areas For Improvement:	26
APPENDICES	26
Appendix 1: SAMPLE RECRUITING SCREENER	26
Recruiting Script for Recruiting Firm	26
Appendix 2: PARTICIPANT DEMOGRAPHICS	27
Appendix 3: NON-DISCLOSURE AGREEMENT AND INFORMED CONSENT FORM	28
Non-Disclosure Agreement	28
Informed Consent	28
Agreement	28
Appendix 4: EXAMPLE MODERATOR'S GUIDE	29
Moderator's Guide	29
Orientation	29
Preliminary Questions	29



1: CPOE -	– Medication:	30
2: CPOE -	– Labs:	30
3: CPOE -	– Imaging	31
4: Drug-c	drug, Drug-allergy Interaction Checks for CPOE	32
5: Demo	graphics	33
6: Implar	ntable Device List:	33
7: Clinica	Il Information Reconciliation and Incorporation	34
Appendix 5	: SYSTEM USABILITY SCALE QUESTIONNAIRE	36
Final Quest	ions	36



Name:	NISTIR 7741
Description:	NIST Guide to the Processes Approach for Improving the Usability of
	Electronic Health Records
Citition:	NIST Interagency/Internal Report (NISTIR) - 7741
	Schumacher, R. and Lowry, S. (2010), (NISTIR 7741) NIST Guide to the Processes Approach for Improving the Usability of Electronic Health Records, NIST Interagency/Internal Report (NISTIR), National Institute of Standards and Technology, Gaithersburg, MD, [online], https://doi.org/10.6028/NIST.IR.7741 https://tsapps.nist.gov/publication/get_pdf.cfm?pub_id=907313

Executive Summary

A usability test of Maximus version 1.0 was concluded on **08/01/2023 08/03/2023 and 08/04/2023** by the Maximus QA team. The purpose of this test was to test and validate the experience of the current user Maximus EHR interface and provide evidence of usability in the SUT (Maximus V1.0). During the usability test, users including healthcare providers matching the target demographic criteria served as participants and used Maximus in the production environment. This study collected performance data on **31** tasks, as required by the ONC.

- 1. Update the prescription for the same medication with the new dispense amount. Task rating on efficiency.
- 2. Update the prescription for the same medication with the new dispense amount. Task rating on ease of use.
- **3.** Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on efficiency.
- **4.** Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on ease of use.
- **5.** Start a lab order for the patient's CBC test with the information in the table. Do not enter any additional order details; just save them. You will finish the order in the next task. Task rating on ease of use.
- **6.** Start a lab order for the patient's CBC test with the information in the table. Do not enter any additional order details; just save them. You will finish the order in the next task. Task rating on efficiency.
- 7. In the same lab order, check to see that Diabetes is already on the patient's diagnosis list. Associate Diabetes as the diagnosis to the order. Task rating on easy of use.
- **8.** In the same lab order, check to see that Diabetes is already on the patient's diagnosis list. Associate Diabetes as the diagnosis to the order. Task rating on efficiency.
- **9.** Start an imaging order for the patient below. Do not enter any additional order details; just save them. Task rating on ease of use.
- **10.** For the same patient, check that concussion, sequela has been added to his Diagnosis List. Then add concussion, sequela as a diagnosis for this imaging order. Task rating on ease of use.
- **11.** Start an imaging order for the patient below. Do not enter any additional order details; just save them. Task rating on efficiency.
- **12.** For the same patient, check that concussion, sequela has been added to his Diagnosis List. Then add concussion, sequela as a diagnosis for this imaging order. Task rating on efficiency.
- **13.** Order the following medication. Override the alert because the drug may be life-saving for the patient. Task rating on ease of use.
- **14.** Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on efficiency.
- **15.** Order the following medication. Override the alert because the drug may be life-saving for the patient. Task rating on efficiency.



- **16.** Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on ease of use.
- **17.** For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on efficiency.
- **18.** Add a new patient into the EHR with the following demographic information. Any additional information is optional. Task rating on ease of use.
- **19.** For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on ease of use.
- **20.** Open an encounter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic information so you can provide it to your patient. Task rating on efficiency.
- **21.** Turn off clinical support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use.
- **22.** Open an encounter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic information so you can provide it to your patient. Task rating on ease of use.
- **23.** Turn off clinical support reminders for Rare Diseases for all providers in this practice. Task rating on efficiency.
- **24.** Document the patient's implantable device with the following details. Task rating on efficiency.
- 25. Document the patient's implantable device with the following details. Task rating on ease of use.
- 26. Generate the Continuity of Care document for Alex Test. -Efficiency Rating
- **27.** Reconcile the problem list, medication, and allergy information sent in the Continuity of Care document and incorporate the data onto his chart. -Efficiency Rating
- 28. Navigate to the Continuity of Care Document and assign Alex Test as the patient. -Efficiency Rating
- **29.** Reconcile the problem list, medication, and allergy information sent in the Continuity of Care document and incorporate the data onto his chart. Ease Rating
- 30. Navigate to the Continuity of Care Document and assign Alex Test as the patient. Ease Rating
- 31. Generate the Continuity of Care document for Alex Test. Ease Rating

During the 1.5-hours one-on-one usability test, each participant was greeted by the administrator and asked to review and sign an informed consent/release form (included in Appendix 3) they were instructed that they could withdraw at any time. Participants had no prior experience with Maximus V1.0. The administrator introduced the test and instructed participants to complete a series of tasks (given one at a time) using the Maximus V1.0. During the testing, the administrator timed the test and, along with the data logger(s) recorded user performance data on paper and electronically. The administrator did not give the participant assistance in how to complete the task. A brief demonstration of each task was provided to the users before the start of each test. The following types of data were collected for each participant:

- 1. Number of tasks completed within the allotted time without assistance
- **2.** Time to complete the tasks
- **3.** Number and types of errors
- 4. Path deviations
- **5.** Participant's verbalizations
- **6.** Participants' satisfaction ratings of the system.

All participant data was de-identified – no correspondence could be made from the identity of the participant to the data collected. Following the conclusion of the testing, participants were asked to complete a post-test questionnaire. No compensation or incentive was given to the participants. Various recommended metrics, following the examples outlined in the *NIST Guide to the Processes Approach for Improving the Usability of Electronic Health Records*, were used to evaluate the usability of Maximus 1.0.



		T1	1_	Task Path Task Time											
		Tasl Succe					Т	ask Time		Task E	rrors	Task R	ating		
N #	Task	Mean	SD	Observed#	Optimal	Mean	SD	Deviation	Deviation-	Mean	SD	Rating	Task		
	Identifier	(%)	(%)	Observeu#	Орина	(sec)	(sec)	Observed	Optimal	IVICALI	30	Rating	Rating	Rating Type	Scale
								(sec)		(%)	(%)		Standard Deviation	Турс	
A1.1	Update the prescription for the same medication with the new dispense amount. Task rating on efficiency.	100	30	11	11	59	35	35	17	21	60	4.3	1.2	Likert	
A1.2	Update the prescription for the same medication with the new dispense amount. Task rating on ease of use.	100	30	11	11	59	35	35	17	21	60	4.5	1.1	Likert	
A1.3	Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on efficiency.	100	30	19	19	129	60	60	34	14	40	4.5	0.8	Likert	
A1.4	Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on ease of use.	100	30	19	19	129	60	60	34	14	40	4.3	1.1	Likert	



		1		1	1	1	1				1	1	1	1
A2.1	Start a lab order for the patient's CBC test with the information in the table. Do not enter any additional order details; just save them. You will finish the order in the next task. Task rating on efficiency.	92	0	11	10	90	50	50	26	46	50	4.2	1.3	Likert
A2.2	Start a lab order for the patient's CBC test with the information in the table. Do not enter any additional order details; just save it. You will finish the order in the next task. Task rating on efficiency.	92	0	11	10	90	50	50	26	46	50	4.2	1.1	Likert
A2.3	In the same lab order, check to see that Diabetes is already on the patient's diagnosis list. Associate Diabetes as the diagnosis to the order. Task rating on easy of use.	100	0	3	3	51	39	39	8	17	40	4.5	0.8	Likert



A2.4	In the same lab order, check to see that Diabetes is already on the patient's diagnosis list. Associate Diabetes as the diagnosis to the order. Task rating on efficiency.	100	0	3	3	51	39	39	8	17	40	4.4	0.8	Likert
A3.1	Start an imaging order for the patient below. Do not enter any additional order details; just save them. Task rating on ease of use.	100	0	5	5	75	45	45	45	0	0	4.6	0.7	Likert
A3.2	For the same patient, check that concussion, sequela has been added to his Diagnosis List. Then add concussion, sequela as a diagnosis for this imaging order. Task rating on ease of use.	100	0	3	3	44	43	43	44	0	0	4.9	0.3	Likert
A3.3	Start an imaging order for the patient below. Do not enter any additional order details; just save them.	100	0	5	5	75	45	45	45	0	0	4.5	0.7	Likert



	I = .			1							ı			
	Task rating													
	on efficiency.													
	erriciency.													
A3.4	For the same patient, check that concussion, sequela has been added to his Diagnosis List. Then add concussion, sequela as a	100												Likert
	diagnosis for this imaging order. Task rating on efficiency.		0	3	3	44	43	43	44	0	0	4.8	0.3	
A4.1	Order the following medication. Override the alert because the drug may be life-saving for the patient. Task rating on ease of use.	100	30	11	11	59	35	35	17	21	60	4.3	1.2	Likert
A4.2	Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on efficiency.	100	30	11	11	59	35	35	17	21	60	4.5	1.1	Likert
A4.3	Order the following medication. Override the alert because the drug may be life-saving for the patient. Task rating on efficiency.	100	30	19	19	129	60	60	34	14	40	4.5	0.8	Likert



A4.4	Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on ease of use.	100	30	19	19	129	60	60	34	14	40	4.3	1.1	Likert
A5.1	For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on efficiency.	58	50	6	5	103	46	46	13	75	90	4.4	1.1	Likert
A5.2	Add a new patient into the EHR with the following demographic information. Any additional information is optional. Task rating on ease of use.	100	0	41	41	126	33	33	48	10	30	4.8	0.4	Likert
A5.3	For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on ease of use.	58	50	6	5	103	46	46	13	75	90	4	1.4	Likert
A9.1	Open an encounter for this patient. In the Diabetic Foot Exam	100	0	4	4	62	21	21	28	0	0	4.3	1.3	Likert



	•				1	,								
	notification,													
	find and													
	print the													
	diagnostic													
	therapeutic													
	information													
	so you can													
	provide it to													
	your patient.													
	Task rating													
	on													
	efficiency.													
	Turn off													
	clinical													
	support													
	reminders													
	for Rare													
A9.2	Diseases for													Likert
A9.2	all providers													LIKEIT
	in this													
	practice.													
	Task rating													
	on ease of													
	use.	100	0	6	6	74	32	32	16	25	50	4.8	0.6	
	Open an													
	encounter													
	for this													
	patient. In													
	the Diabetic													
	Foot Exam													
	notification,													
	find and													
A9.3	print the													Likert
A3.3	diagnostic													LIKEIT
	therapeutic													
	information													
	so you can													
	provide it to													
	your patient.													
	Task rating													
	on ease of													
	use.	100	0	4	4	62	21	21	28	0	0	4.3	1.2	
	Turn off													
	clinical													
	support													
	reminders													
	for Rare													
A9.4	Diseases for													Likert
7.5.4	all providers													LIKCI
	in this													
	practice.													
	Task rating													
	on	100	0	6	6	74	32	22	16	25	50	4.8	0.6	
	efficiency.	100	U	ס	ט	/4	32	32	10	25	50	4.8	0.6	
	Document													
A14.1	the patient's													Likert
	implantable device with	70	20	01	70	145	75	75	70	24	Ε0	4.2	1.3	
	device Willi	78	30	91	78	145	75	75	78	31	50	4.2	1.3	



Т				ı		1				ı	1			
	the following													
	details. Task													
	rating on													
	efficiency.													
	Document													
	the patient's													
	implantable													
	device with													
A14.2														Likert
	the following													
	details. Task													
	rating on	70	20	0.4	70	4.45	7-		70			4.0	4.4	
	ease of use.	78	30	91	78	145	75	75	78	31	50	4.2	1.4	
	Generate													
	the													
	Continuity of													
D2 4	Care													1.11
B2.1	document													Likert
	for Alex Test.													
	-Efficieny													
	Rating	71	47	4	3	52	32	32	7	29	71	4.3	1.1	
	Reconcile							-		<u> </u>				
	the problem													
	list,													
	medication,													
	and allergy													
	information													
	sent in the													
D2 2	Continuity of													1:1
B2.2	Care													Likert
	document													
	and													
	incorporate													
	the data													
	onto his													
	chart													
	Efficiency				_		_	_				_		
	Rating	11	33	7	5	63	6	6	17	47	228	3	1.4	
	Generate													
	the													
	Continuity of													
B2.3	Care													Likert
	document													
	for Alex Test.													
	- Ease Rating	71	47	4	3	52	32	32	7	29	71	4.3	1	
	Navigate to													
	the													
	Continuity of													
	Care													
	Document													
B2.4														Likert
	and assign Alex Test as													
	AIEX LEST AS													
1														
	the patient													
		72	46	5	4	96	48	48	13	6	47	3.6	1.4	



	Reconcile the problem													
	list,													
	medication,													
	and allergy													
	information													
	sent in the													
B2.5	Continuity of													Likert
62.3	Care													LIKEIT
	document													
	and													
	incorporate													
	the data													
	onto his													
	chart Ease	11	33	7	5	63	6	6	17	47	228	3.4	1.2	
	Rating	11	33		3	03	0	0	1/	47	220	3.4	1.2	
	Navigate to the													
	Continuity of													
	Care													
B2.6	Document													Likert
32.0	and assign													Lincit
	Alex Test as													
	the patient													
	Ease Rating	72	46	5	4	96	48	48	13	6	47	3.8	1.4	

Introduction

The Maximus(SUT) is tested in this study was designed to present medical information to healthcare providers in a healthcare setting. The purpose of this study was to test and validate the usability of the current user interface and provide evidence of usability in the EHR system under test. To this end, measures of effectiveness, efficiency, and user satisfaction, such as Performance, Errors, and time on task, were captured during the usability testing.

Methods

PARTICIPANTS

Participants were recruited by Maximus, LLC and were not provided any incentive for their time and participation. In addition, participants had no direct connection to the developing organization producing the software. Participants were not from the testing or supplier organization. Participants were allowed to have the same orientation as the actual end-users receive. For the test purposes, end-user characteristics were translated into a recruitment screener used to select potential participants; an example of a screener is provided in Appendix 1. Recruited participants had a mix of backgrounds and demographic characteristics conforming to the recruitment screener. Below is a table of participants by characteristics, including demographics, professional experience, computer experience, and user needs for assistive technology. Participant names were replaced with Participant IDs so that an individual's data cannot be traced back to individual identities.

A total of 10 participants were involved in the testing of the Maximus V1.0. All members recruited for this usability testing were Clinical Assistants, MD, Nurses & Physician's Assistants. All participants who participated in the usability test were scheduled for a 1.5-hour session. This session was further divided into 7 slots of 10 mins with 5 min in between each slot for debriefing by the administrator(s) and data logger(s), and to reset systems to proper test conditions. A spreadsheet was used to keep track of the participant schedule and included each participant's demographic characteristics.



#	Part ID	Gen	Age	Education	Occupation/	Professional	Computer	Product	Assistive
		der			Role	Experience	Experience	Experience	Technology
									Needs
1				Bachelor's					
	MXP-001	F	40-49	degree	Clinical Assistant	144	230	0	No
2				Master's	Physician's				
	MXP-002	F	40-49	degree	Assistant	120	280	0	No
3	MXP-003	М	40-49	Master's degree	Physician's Assistant	160	230	0	No
4				Master's					
	MXP-004	М	30-39	degree	MD	144	250	0	No
5		_		Bachelor's			0.10		
	MXP-005	F	30-39	degree	Clinical Assistant	87	210	0	No
6	MXP-006	М	30-39	Bachelor's degree	RN	84	240	0	No
7				Bachelor's					
	MXP-007	F	50-59	degree	RN	160	280	0	No
8	MXP-008	М	30-39	Bachelor's degree	Physician's Assistant	120	220	0	No
9	MAVE OOO		20.20	Bachelor's	Physician's	00	240	0	Ne
	MXP-009	M	30-39	degree	Assistant	90	240	0	No
10	MXP-010	М	40-49	Master's degree	MD	150	240	0	No

Study Design

The overall goal of this test was to discover areas where the application performed well — that is, a user can perform the task effectively, efficiently, and with satisfaction — and areas where the application failed to meet the needs of the users. The data from this test may serve as a baseline for future tests with an updated version of the same EHR and/or comparison with other EHRs provided the same tasks are used. Each participant used the system remotely and was provided with the same instructions. The system was evaluated for **Effectiveness, Efficiency & Ease of Use/ Satisfaction** as defined by measures collected and analyzed for each participant:

- 1. Number of tasks completed within the allotted time without assistance
- 2. Time to complete the tasks
- 3. Number and types of errors
- 4. Path deviations
- 5. Participant's verbalizations (comments)
- 6. Participant's satisfaction ratings of the system

Additional information about the various measures can be found in Section 3.9 on Usability Metrics.

Tasks

Tasks were selected based on their frequency of use, the criticality of function, and those that may be most troublesome for users. Tasks should always be constructed in light of the study objectives.



Task Measure	N
Maximus V1.0	#
	Update the prescription for the same medication with the new dispense amount. Task
	rating on efficiency.
/)/->	Update the prescription for the same medication with the new dispense amount. Task
170.315 (a)(1)	rating on ease of use.
CPOE – Medication	Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on efficiency.
	Document an order for the following medication. Enter the SIG in your format. Then print
	the prescription. Task rating on ease of use.
170.315 (a)(2)	Start a lab order for the patient's CBC test with the information in the table. Do not enter
CPOE-Laboratory	any additional order details; just save them. You will finish the order in the next task. Task
Ci OL Laboratory	rating on ease of use.
	Start a lab order for the patient's CBC test with the information in the table. Do not enter
	any additional order details; just save them. You will finish the order in the next task. Task
	rating on efficiency.
	In the same lab order, check to see that Diabetes is already on the patient's diagnosis list.
	Associate Diabetes as the diagnosis to the order. Task rating on easy of use.
	In the same lab order, check to see that Diabetes is already on the patient's diagnosis list.
170 245 (-)/2)	Associate Diabetes as the diagnosis to the order. Task rating on efficiency. Start an imaging order for the patient below. Do not enter any additional order details;
170.315 (a)(3)	just save them. Task rating on ease of use.
CPOE-Diagnostic	For the same patient, check that concussion, sequela has been added to his Diagnosis List.
Imaging	Then add concussion, sequela as a diagnosis for this imaging order. Task rating on ease of
	use.
	Start an imaging order for the patient below. Do not enter any additional order details;
	just save them. Task rating on efficiency.
	For the same patient, check that concussion, sequela has been added to his Diagnosis List.
	Then add concussion, sequela as a diagnosis for this imaging order. Task rating on
	efficiency.
	Order the following medication. Override the alert because the drug may be life-saving for
	the patient. Task rating on ease of use.
	Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on efficiency.
170.315 (a)(4) DDDA	Order the following medication. Override the alert because the drug may be life-saving
	for the patient. Task rating on efficiency.
	Set up your alerts to only show up for Severe drug interations and Severe allergy reactions
	for your username. Task rating on ease of use.
170.315(a)(5)	For the patient, enter the details about his sexual orientation and gender identity in his
Demographics	chart. Task rating on efficiency.
	Add a new patient into the EHR with the demographic information. Any additional
	information is optional. Task rating on ease of use.
	For the patient, enter the details about his sexual orientation and gender identity in his
470 245 ()(0)	chart. Task rating on ease of use.
170.315 (a)(9)	Open a patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic information so you can provide it to your patient. Task rating on efficiency.
Clinical Decision	therapeutic information so you can provide it to your patient. Task rating off efficiency.
Support	Turn off clinical support reminders for Rare Diseases for all providers in this practice. Task
	rating on ease of use.
	Open a patient. In the Diabetic Foot Exam notification, find and print the diagnostic
	therapeutic information so you can provide it to your patient. Task rating on ease of use.
	and appears morniagion so you can provide it to your patient. Task facing on ease of use.
	Turn off clinical support reminders for Rare Diseases for all providers in this practice. Task
	rating on efficiency.



170.315 (a)(14) Implantable Device List	Document the patient's implantable device with the following details. Task rating on efficiency. Document the patient's implantable device with the following details. Task rating on ease of use.
170.315 (b)(2)	Generate the Continuity of Care document for Alex TestEfficiency Rating
Clinical Information	Reconcile the problem list, medication, and allergy information sent in the Continuity of Care document and incorporate the data into the patient chartEfficiency Rating
Reconciliation and Incorporation	Generate the Continuity of Care document for Alex Test Ease Rating
meer peration	Navigate to the Continuity of Care Document and assign Alex Test as the patient Efficiency Rating
	Reconcile the problem list, medication, and allergy information sent in the Continuity of Care document and incorporate the data onto his chart Ease Rating
	Navigate to the Continuity of Care Document and assign Alex Test as the patient Ease
	Rating

Procedures

Upon joining the remote session, participants were welcomed and their identity was **cross-checked** with a name on the recruit list. Each member was then assigned a participant ID. To ensure that the test was conducted smoothly, two staff members participated in the test, the usability test administrator and the test data logger. The administrator moderated the session including administering instructions and tasks. The administrator also monitored task times, obtained post-task rating data, and took notes on participant comments. A second person served as the test data logger and took notes on task success, path deviations, number and type of errors, and comments. Participants were instructed to perform the tasks (see specific instructions below):

- As quickly as possible making as few errors and deviations as possible. Without
 assistance and without using a think-aloud technique. For each task, the participants
 were given a written copy of the task. Task timing began once the administrator finished
 reading the question. The task time was stopped once the participant indicated they had
 completed the task.
- Following the session, the administrator gave the participant the post-test questionnaire (e.g., the System Usability Scale, see Appendix 5), and thanked each individual for their participation. Participants' demographic information, task success rate, time on task, errors, deviations, and post-test questionnaires were recorded into a spreadsheet.

TEST LOCATION

The tests were performed remotely via Ring Central remote assistance software.

TEST ENVIRONMENT

The Maximus software would be typically used in a healthcare office or facility. For testing, the participant used a Desktop PC running Windows operating system. The participants used a mouse & keyboard when interacting with the SUT. In Maximus usability testing, we used **19 Inch display monitor with 1280 to 1600 Screen Resolution**. The application was set up by the Maximus Development Team according to the requirements for each task. The application itself was running on a Chrome web browser using a high-speed internet connection. Technically, the system performance (i.e. response time) was representative of what actual users would experience in field implementation. Additionally, participants were instructed not to change any of the default system settings (such as web page Zoom, Web Browser Theme).

TEST FORMS AND TOOLS

During the usability test, various documents and instruments were used, including:

- 1: Sample recruiting screener
- 2: Participant demographics
- 3: Non-Disclosure Agreement (NDA) and Informed Consent Form
- 4: Example Moderator's Guide
- 5: System Usability Scale Questionnaire



Examples of these documents can be found in Appendices respectively. The Moderator's Guide was devised to be able to capture required data. The participant's interaction with the SUT was remotely monitored using Ring Central Software.

PARTICIPANT INSTRUCTIONS

The administrator reads the following instructions aloud to each participant (also see the full moderator's guide in Appendix 4):

"Thank you for participating in this study. Your input is very important. Our session today will last about 90 minutes. During that time you will use an instance of an electronic health record. I will ask you to complete a few tasks using this system and answer some questions. You should complete the tasks as quickly as possible making as few errors as possible. Please try to complete the tasks on your own following the instructions very closely. Please note that we are not testing you we are testing the system, therefore if you have difficulty all this means is that something needs to be improved in the system. I will be here in case you need specific help, but I am not able to instruct you or provide help in how to use the application. Overall, we are interested in how easy (or how difficult) this system is to use, what in it would be useful to you, and how we could improve it. I did not have any involvement in its creation, so please be honest with your opinions. All of the information that you provide will be kept confidential and your name will not be associated with your comments at any time. Should you feel it necessary you can withdraw at any time during the testing."

Following the procedural instructions, participants were shown the Maximus and as their first task, and were given some time to explore the system and make comments. Once this task was complete, the administrator gave the following instructions:

For each task, I will read the description to you and say "Begin." At that point, please perform the task and say "Done" once you believe you have completed the task. I would like to request that you not talk aloud or verbalize while you are doing the tasks. I will ask you your impressions about the task once you are done.

USABILITY METRICS

According to the NIST Guide to the Processes Approach for Improving the Usability of Electronic Health Records, EHRs should support a process that provides a high level of usability for all users. The goal is for users to interact with the system effectively, efficiently, and with an acceptable level of satisfaction. To this end, metrics for effectiveness, efficiency, and user satisfaction were captured during the usability testing. The goals of the test were to assess:

- 1. **Effectiveness** of Maximus V1.0 by measuring participant success rates and errors.
- 2. **Efficiency** of Maximus V1.0 by measuring the average task time and path deviations.
 - a. Participants should not use a think-aloud technique during the testing session. Excessive verbalization or attempts to converse with the moderator during task performance should be strongly discouraged. Participants will naturally provide commentary, but they should do so, ideally, after the testing. Some verbal commentary may be acceptable between tasks, but again should be minimized by the moderator.
- 3. **Ease of Use / Satisfaction** with Maximus V1.0 by measuring ease of use ratings.

DATA SCORING

The following table details how tasks were scored, errors evaluated, and the time data analyzed.



Measures	Rationale and Scoring
Effectiveness:	A task was counted as a "Success" if the participant was able to achieve the correct outcome,
	without assistance, within the time allotted on a per-task basis.
Task Success	The total number of successes was calculated for each task and then divided by the total number of times that task was attempted. The results are provided as a percentage.
	Task times were recorded for successes. Observed task times divided by the optimal time for each task
	is a measure of optimal efficiency.
Effectiveness:	If the participant abandoned the task, did not reach the correct answer or performed it incorrectly, or
	reached the end of the allotted time before successful completion, the task was counted as a
Task Failures	"Failures." No task times were taken for errors.
	The total number of errors was calculated for each task and then divided by the total number of times
	that task was attempted. Not all deviations would be counted as errors. 11 This should also be
	expressed as the mean number of failed tasks per participant.
	On a qualitative level, an enumeration of errors and error types should be collected.
Efficiency:	The participant's path (i.e., steps) through the application was recorded. Deviations occur if the
	participant, for example, went to a wrong screen, clicked on an incorrect menu item, followed an
Task Deviations	incorrect link, or interacted incorrectly with on-screen control. This path was compared to the optimal
	path. The number of steps in the observed path is divided by the number of optimal steps to provide a
	ratio of path deviation. It is strongly recommended that task deviations be reported. Optimal paths (i.e., procedural steps) should be recorded when constructing tasks.
F(C: -:	· ·
Efficiency:	Each task was timed from when the administrator said "Begin" until the participant said, "Done." If he or she failed to say "Done," the time was stopped when the participant stopped performing the
Table Time	task. Only task times for tasks that were completed were included in the average task time analysis.
Task Time	The average time per task was calculated for each task. Variance measures (standard deviation and
	standard error) were also calculated.
Ease of Use	Participants' subjective impression of the ease of use of the application was measured by
/	administering both a simple post-task question as well as a post-session questionnaire. After each
Satisfaction:	task, the participant was asked to rate "Overall, this task was:" on a scale of 1 (Very Difficult) to 5
	(Very Easy). These data are averaged across participants. A common convention is that average
Task Rating	ratings for systems judged easy to use should be 3.3 or above. To measure participants' confidence
. dok nating	in and likeability of the Maximus V1.0 overall, the testing team administered the System Usability
	Scale (SUS) post-test questionnaire.

RESULTS

DATA ANALYSIS AND REPORTING: The results of the usability test were calculated according to the methods specified in the Usability Metrics section above. There were no participants who failed to follow the session. The usability testing results for the Maximus V1.0 are detailed below



		Tasl	k	Task Path Deviation Task Time Deviation Deviation								_			
		Succe			Deviation		Т	ask Time		Task E	rrors	Task R	ating		
N #	Task	Mean	SD	Observed#	Optimal	Mean	SD	Deviation -	Deviation-	Mean	SD	Rating	Task		
	Identifier	(%)	(%)			(sec)	(sec)	Observed	Optimal				Rating	Rating Type	Scale
								(sec)		(%)	(%)		Standard Deviation	.,,,,	
A1.1	Update the prescription for the same medication with the new dispense amount. Task rating on efficiency.	100	30	11	11	59	35	35	17	21	60	4.3	1.2	Likert	
A1.2	Update the prescription for the same medication with the new dispense amount. Task rating on ease of use.	100	30	11	11	59	35	35	17	21	60	4.5	1.1	Likert	
A1.3	Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on efficiency.	100	30	19	19	129	60	60	34	14	40	4.5	0.8	Likert	
A1.4	Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on ease of use.	100	30	19	19	129	60	60	34	14	40	4.3	1.1	Likert	



A2.1	Start a lab order for the patient's CBC test with the information in the table. Do not enter any additional order details; just save them. You will finish the order in the next task. Task rating on efficiency.	92	0	11	10	90	50	50	26	46	50	4.2	1.3	Likert
A2.2	Start a lab order for the patient's CBC test with the information in the table. Do not enter any additional order details; just save it. You will finish the order in the next task. Task rating on efficiency.	92	0	11	10	90	50	50	26	46	50	4.2	1.1	Likert
A2.3	In the same lab order, check to see that Diabetes is already on the patient's diagnosis list. Associate Diabetes as the diagnosis to the order. Task rating on easy of use.	100	0	3	3	51	39	39	8	17	40	4.5	0.8	Likert



_	•	•							1					
A2.4	In the same lab order, check to see that Diabetes is already on the patient's diagnosis list. Associate Diabetes as the diagnosis to the order. Task rating on efficiency.	100	0	3	3	51	39	39	8	17	40	4.4	0.8	Likert
A3.1	Start an imaging order for the patient below. Do not enter any additional order details; just save them. Task rating on ease of use.	100	0	5	5	75	45	45	45	0	0	4.6	0.7	Likert
A3.2	For the same patient, check that concussion, sequela has been added to his Diagnosis List. Then add concussion, sequela as a diagnosis for this imaging order. Task rating on ease of use.	100	0	3	3	44	43	43	44	0	0	4.9	0.3	Likert
A3.3	Start an imaging order for the patient below. Do not enter any additional order details; just save them.	100	0	5	5	75	45	45	45	0	0	4.5	0.7	Likert



	T												ı	T
	Task rating													
	on efficiency.													
	For the same patient, check that concussion, sequela has													
A3.4	been added to his Diagnosis List. Then add concussion,	100												Likert
	sequela as a diagnosis for this imaging order. Task rating on efficiency.		0	3	3	44	43	43	44	0	0	4.8	0.3	
A4.1	Order the following medication. Override the alert because the												3.3	Likert
A4.1	drug may be life-saving for the patient. Task rating on ease of use.	100	30	11	11	59	35	35	17	21	60	4.3	1.2	Likert
A4.2	Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for													Likert
	your username. Task rating on efficiency.	100	30	11	11	59	35	35	17	21	60	4.5	1.1	
A4.3	Order the following medication. Override the alert because the drug may be life-saving													Likert
	for the patient. Task rating on efficiency.	100	30	19	19	129	60	60	34	14	40	4.5	0.8	



												•		
A4.4	Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on ease of													Likert
	use.	100	30	19	19	129	60	60	34	14	40	4.3	1.1	
A5.1	For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on efficiency.	58	50	6	5	103	46	46	13	75	90	4.4	1	Likert
A5.2	Add a new patient into the EHR with the following demographic information. Any additional information is optional. Task rating on ease of use.	100	0	41	41	126	33	33	48	10	30	4.8	0.4	Likert
A5.3	For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on ease of use.	58		6	5	103	46	46	13	75	90	4	1.4	Likert
A9.1	Open an encounter for this patient. In the Diabetic Foot Exam	100	0	4	4	62	21	21	28	0	0	4.3	1.3	Likert



	•				1	,								
	notification,													
	find and													
	print the													
	diagnostic													
	therapeutic													
	information													
	so you can													
	provide it to													
	your patient.													
	Task rating													
	on													
	efficiency.													
	Turn off													
	clinical													
	support													
	reminders													
	for Rare													
A9.2	Diseases for													Likert
A9.2	all providers													LIKEIT
	in this													
	practice.													
	Task rating													
	on ease of													
	use.	100	0	6	6	74	32	32	16	25	50	4.8	0.6	
	Open an													
	encounter													
	for this													
	patient. In													
	the Diabetic													
	Foot Exam													
	notification,													
	find and													
A9.3	print the													Likert
A3.3	diagnostic													LIKEIT
	therapeutic													
	information													
	so you can													
	provide it to													
	your patient.													
	Task rating													
	on ease of													
	use.	100	0	4	4	62	21	21	28	0	0	4.3	1.2	
	Turn off													
	clinical													
	support													
	reminders													
	for Rare													
A9.4	Diseases for													Likert
7.5.4	all providers													LIKCI
	in this													
	practice.													
	Task rating													
	on	100	0	6	6	74	32	22	16	25	50	4.8	0.6	
	efficiency.	100	U	ס	ט	/4	32	32	10	25	50	4.8	0.6	
	Document													
A14.1	the patient's													Likert
	implantable device with	70	20	01	70	145	75	75	70	24	Ε0	4.2	1.3	
	device Willi	78	30	91	78	145	75	75	78	31	50	4.2	1.3	



	the following details. Task rating on efficiency.													
A14.2	Document the patient's implantable device with the following details. Task rating on ease of use.	78	30	91	78	145	75	75	78	31	50	4.2	1.4	Likert
B2.1	Generate the Continuity of Care document for Alex TestEfficieny Rating	71	47	4	3	52	32	32	7	29	71	4.3	1.1	Likert
B2.2	Reconcile the problem list, medication, and allergy information sent in the Continuity of Care document and incorporate the data onto his chart Efficiency Rating	11	33	7	5	63	6	6	17	47	228	3	1.4	Likert
B2.3	Generate the Continuity of Care document for Alex Test Ease Rating	71	47	4	3	52	32	32	7	29	71	4.3	1	Likert
B2.4	Navigate to the Continuity of Care Document and assign Alex Test as the patient Efficiency Rating	72	46	5	4	96	48	48	13	6	47			Likert



	Reconcile													
	the problem													
	list,													
	medication,													
	and allergy													
	information													
	sent in the													
B2.5	Continuity of													Likert
02.5	Care													LIKEIT
	document													
	and													
	incorporate													
	the data													
	onto his													
	chart Ease													
	Rating	11	33	7	5	63	6	6	17	47	228	3.4	1.2	
	Navigate to													
	the													
	Continuity of													
	Care													
B2.6	Document													Likert
	and assign													
	Alex Test as													
	the patient													
	Ease Rating	72	46	5	4	96	48	48	13	6	47	3.8	1.4	

In addition to the performance data, the following qualitative observations were made:

Major Findings

Some users took a little extra time on Clinical Information Reconciliation and Clinical Decision Support during the import of the CCDA file. Overall they were satisfied with the current user workflow and mentioned a few suggestions in regards to improvement of the user flow.

Areas For Improvement

Some users reported a few UI issues in the left menu and suggested improvements. Along with the improvement in navigation, users suggested improvement in the Search functionality. Searching methods provided in the system are unclear & puzzled some users while navigating.

Discussions of the Findings

Effectiveness:

Most users appreciated the new system. They were excited to see the new UI & UX of Maximus.

Efficiency:

Most of the tasks were completed by the users on time with deviations in Computerized Provider Entry, Clinical Information Reconciliation & Clinical Decision Support.

Satisfactions:

All the users were satisfied with the overall workflow and provided a few suggestions to make it more user-friendly.



Areas For Improvement:

The users were a little unsatisfied with a few issues in UI, they Suggested improving the search module as well as suggested including an application tour, in which an application guides the user on performing a different task.

APPENDICES

The following appendices include supplemental data for this usability test report. Following is a list of the appendices provided:

- 1: Sample recruiting screener
- 2: Participant demographics
- 3: Non-Disclosure Agreement (NDA) and Informed Consent Form
- 4: Example Moderator's Guide
- 5: System Usability Scale Questionnaire

Appendix 1: SAMPLE RECRUITING SCREENER

The purpose of a screener is to ensure that the participants selected to represent the target user population as closely as possible. (Portions of this sample screener are taken from https://www.usability.gov/how-to-and-tools/resources/templates.html & adapted for use.)

Recruiting Script f	or Recruiting Firm								
Hello, my name is, —	calling	from	Insert	name	of	the	recruiting	firm.	We
6	are recruiting individuals to	particip	ate in a ι	usability	study	for an	electronic h	ealth re	cord.
We would like to ask you	a few questions to see if y	ou quali	fy and if v	would lik	e to p	articip	ate. This sho	uld only	take /
a few minutes of your tin	ne. This is strictly for resear	ch purp	oses. Can	I ask you	ı a fev	v ques	tions?		

- 1. If not obvious Are you male or female? Recruit a mix of participants
- 2. Have you participated in a focus group or usability test in the past xx months? If yes, Terminate
- 3. Do you, or does anyone in your home, work in marketing research, usability research, web design ...etc. ? If yes, Terminate
- 4. Do you, or does anyone in your home, have a commercial or research interest in an electronic health record software or consulting company? If yes, Terminate
- 5. Which of the following best describes your age? 23 to 39; 40 to 59; 60 to 74; 75 and older Recruit Mix
- 6. Which of the following best describes your race or ethnic group? e.g., Caucasian, Asian, Black/African-American, Latino or Hispanic, etc.
- 7. Do you require any assistive technologies to use a computer? if so, please describe

Professional Demographics

8.	What	is your current position and title? (Must be healthcare provider)
		RN: Specialty —————
		Physician: Specialty
		Resident: Specialty —————
		Administrative Staff —————
		Other Terminate —————
_		

- 9. How long have you held this position?
- 10. Describe your work location (or affiliation) and environment? (Recruit according to the intended users of the application) e.g., private practice, health system, government clinic, etc.
- 11. Which of the following describes your highest level of education? e.g., high school graduate/GED, some college, college graduate (RN, BSN), postgraduate (MD/Ph.D.), other (explain).



Computer Expertise

- 12. Besides reading emails, what professional activities do you do on the computer? e.g., access EHR, research; reading news; shopping/banking; digital pictures; programming/word processing, etc. If no computer use at all, Terminate
- 13. About how many hours per week do you spend on the computer? Recruit according to the demographics of the intended users, e.g., 0 to 10, 11 to 25, 26+ hours per week
- 14. What computer platform do you usually use? e.g., Mac, Windows, etc.
- 15. What Internet browser(s) do you usually use? e.g., Firefox, IE, AOL, etc.
- 16. In the last month, how often have you used an electronic health record?
- 17. How many years have you used an electronic health record?
- 18. How many EHRs do you use or are you familiar with?

10		. dan annual an income to the stant annual 2. Dan it annual is at the dan annual in a fath
19.	HOV	w does your work environment patient records? Recruit according to the demographics of the
	inte	ended users
		On paper ————
		Some paper, some electronic ————
		All electronic ————

Contact Information

Those are all the questions I have for you. Would you be able to participate in the date, time? If so collect contact information May I get your contact information?

- 1. Name of participant:
- 2. Address:
- 3. City, State, Zip:
- 4. Daytime phone number:
- 5. Evening phone number:
- 6. Alternate cell phone number:
- 7. Email address:

This study will take place remotely. I will confirm your appointment a couple of days before your session and provide you with GoToMeeting conference call details. What time is the best time to reach you?

Appendix 2: PARTICIPANT DEMOGRAPHICS

The report should contain a breakdown of the key participant demographics. A representative list is shown below. Following is a high-level overview of the participants in this study.

Gender	
Men	5
Women	5
Total (Participants)	10
Occupation / Role	
Medical Doctors	2
Physician Assistants	2
Nurse Practitioners	2
Clinical Assistants	2
Registered Nurse	2
Total (Participants)	10
Years of technology experience	
0-5	10
6-10	0
10+	0



Total Participants	10
Facility Use of EHR	
All Paper	0
All Electronic	10
Some Paper, Some Electronic	0
Total Participants	10

Appendix 3: NON-DISCLOSURE AGREEMENT AND INFORMED CONSENT FORM

Non-Disclosure Agreement THIS AGREEMENT is entered into as of, <u>20</u> , between ("the Participant") and the testing organization <i>Maximus</i> , <i>LLC</i> located at <i>Address</i> .
The Participant acknowledges his or her voluntary participation in today's usability study may bring the Participant into possession of Confidential Information. The term "Confidential Information" means all technical and commercial information of a proprietary or confidential nature which is disclosed by <i>Maximus, LLC</i> or otherwise acquired by the Participant, in the course of today's study.
By way of illustration, but not limitation, Confidential Information includes trade secrets, processes, formulae, data, know-how, products, designs, drawings, computer-aided design files and other computer files, computer software, ideas, improvements, inventions, training methods, and materials, marketing techniques, plans, strategies, budgets, financial information, or forecasts. Any information the Participant acquires relating to this product during this study is confidential and proprietary to <i>Maximus V1.0</i> and is being disclosed solely for the Participant's participation in today's usability study. By signing this form the Participant acknowledges that s/he will receive monetary compensation for feedback and will not disclose this confidential information obtained today to anyone else or any other organizations.
Participant's printed name:
Signature: ————
Date: ————
Informed Consent

prototype and give your feedback. The study will last about 60 minutes. Agreement

I understand and agree that as a voluntary participant in the present study conducted by *Maximus, LLC.* I am free to withdraw consent or discontinue participation at any time. I understand and agree to participate in the study conducted and videotaped by the *Maximus, LLC*

Maximus would like to thank you for participating in this study. The purpose of this study is to evaluate an electronic health records system. If you decide to participate, you will be asked to perform several tasks using the

I understand and agree that the purpose of this study is to make software applications more useful and usable in the future.

I understand and agree that the data collected from this study may be shared with outside of *Maximus*, *LLC* and *Maximus* clients. I understand and agree that data confidentiality is assured because only de-identified data – i.e., identification numbers not names – will be used in the analysis and reporting of the results.



I agree to immediately raise any concerns or areas of discomfort with the study administrator. I understand that I can leave at any time.

Please check one of the follow	ving:	
_ ·	ead the above statement and agree to be a penot to participate in this study.	participant.
Signature:		
Date:		
Appendix 4: EXAM	PLE MODERATOR'S GUIDE	
Moderator's Guide		
Administrator:	Data Logger:	Date:
Time:	Participant #:	Location:
Before testing		
Confirm schedul	e with Participants.	
 Ensure MAXIMU 	S lab environment is running properly.	
Ensure lab and d	ata recording equipment is running properly	/.
Before each participant:		
Reset application	1.	
Before each task:		

Orientation

Thank you for participating in this study. Our session today will last **1.5 hours**. During that time you will take a look at an electronic health record system.

"I will ask you to complete a few tasks using this system and answer some questions. We are interested in how easy (or how difficult) this system is to use, what in it would be useful to you, and how we could improve it. You will be asked to complete these tasks on your own trying to do them as quickly as possible with the fewest possible errors or deviations. Do not do anything more than ask. If you get lost or have difficulty I cannot answer help me with anything to do with the system itself? Please save your detailed comments until the end of a task or the end of the session as a whole when we can discuss freely.

I did not have any involvement in its creation, so please be honest with your opinions. The product you will be using today is Maximus V1.0. Some of the data may not make sense as it is placeholder data.

All of the information that you provide will be kept confidential and your name will not be associated with your comments at any time. "

Do you have any questions or concerns?

Preliminary Questions

- 1. What is your job title/appointment?
- 2. How long have you been working in this role?

Reset application to the starting point for next task.

- 3. What are some of your main responsibilities?
- 4. Tell me about your experience with electronic health records.



1: CPOE – Medication:

The users were asked to perform the following tasks for the usability testing for CPOE – Medication.

- Update the prescription for the same medication with the new dispense amount. Task rating on efficiency.
- 2. Update the prescription for the same medication with the new dispense amount. Task rating on ease of use.
- 3. Document an order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating on efficiency.
- order for the following medication. Enter the SIG in your format. Then print the prescription. Task rating

elow creen X ents:
ereen X
ereen X
ents:
ents:
ents:
N. (6)
!) to "Very Easy" (5)
for CPOE – Labs.
. Do not enter any additional order detail
. Do not enter any additional order detail
iency.
t's diagnosis list. Associate Diabetes as th
de die en eie liek Assesiake Bielesker es A
's diagnosis list. Associate Diabetes as th
elow
reen X



		☐ Minor Deviations / Cycles Describe below
٥h	samuad Funana	☐ Major Deviations Describe the below <i>Comments:</i> and Verbalizations:
Ob	Comm	
Pat	ting:	EIIIS.
I\a	tilig.	Overall, this task was:
		Show participant has written scale: "Very Difficult" (1) to "Very Easy" (5)
Δd	ministrator / I	Notetaker Comments:
	, ,	
: CPO	DE – Imaging	
		I to perform the following tasks for the usability testing for CPOE-Imaging
1.	Start an imagi	ng order for the patient below. Do not enter any additional order details; just save them. Task rating on
1.	ease of use.	ing order for the patient below. Bo not effect any additional order details, just save them. Task fating on
2.	For the same	patient, check that concussion, sequela has been added to his Diagnosis List. Then add concussion,
		iagnosis for this imaging order. Task rating on ease of use.
3.		ng order for the patient below. Do not enter any additional order details; just save them. Task rating on
4	efficiency.	nations check that concussion cognels has been added to his Diagnosis List. Then add consussion
4.		patient, check that concussion, sequela has been added to his Diagnosis List. Then add concussion, iagnosis for this imaging order. Task rating on efficiency.
Suc	ccess:	inglies of this integrity of the real transfer of t
		Easily completed
		Not completed <i>Comments:</i>
Tas	sk Time:	·
On	ntimal Path: Sc	reen A \square Screen B \square Drop Down B 1 \square "OK" Button \square Screen X
- 6		Correct
		Minor Deviations / Cycles Describe below
		Major Deviations Describe the below Comments:
Ob	served Errors	and Verbalizations:
	omments:	
_	ting:	
Na	_	, this task was:
		oarticipant has written scale: "Very Difficult" (1) to "Very Easy" (5)
	JIIUW L	and opanitings written scale. Very Difficult (1/10 Very Lusy (3)



Administrator	/ Notetaker	Comments:
Aumminutiator	/ NOLE LAKE	Comments.

4: Drug-drug, Drug-allergy Interaction Checks for CPOE

The users were asked to perform the following tasks for the usability testing for **Drug-drug, Drug-allergy**Interaction Checks for CPOE

- 1. Order the following medication. Override the alert because the drug may be life-saving for the patient. Task rating on ease of use.
- 2. Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on efficiency.
- 3. Order the following medication. Override the alert because the drug may be life-saving for the patient. Task rating on efficiency.
- 4. Set up your alerts to only show up for Severe drug interations and Severe allergy reactions for your username. Task rating on ease of use.

Success:
☐ Easily completed
☐ Completed with difficulty or help Describe below
☐ Not completed <i>Comments:</i>
Task Time: Seconds
Optimal Path : Screen $A \square$ Screen $B \square$ Drop Down $B^1 \square$ "OK" Button \square Screen X
□ Correct
☐ Minor Deviations / Cycles Describe below
☐ Major Deviations Describe the below <i>Comments:</i>
Observed Errors and Verbalizations:
Comments:
Rating:
Overall, this task was:
Show participant has written scale: "Very Difficult" (1) to "Very Easy" (5)

Administrator / Notetaker Comments



5: Demographics

Observed Errors and Verbalizations:

The users were asked to perform the following tasks for the usability testing for Demographics.

- 1. For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on efficiency.
- 2. Add a new patient into the EHR with the following demographic information. Any additional information is optional. Task rating on ease of use.
- 3. For this patient, enter the following details about his sexual orientation and gender identity in his chart. Task rating on ease of use.

Success:		
		Easily completed
		Completed with difficulty or help:: Describe below
		Not completed Comments:
Task Time:		
Optimal Pat	th: Scr	een A \square Screen B \square Drop Down B 1 \square "OK" Button \square Screen X…
		Correct
		Minor Deviations / Cycles:: Describe below
		Major Deviations:: Describe below Comments:
Observed E	rrors a	and Verbalizations:
Comments	s:	
Rating:		
Overall	, this t	ask was:
		articipant has written scale: "Very Difficult" (1) to "Very Easy" (5)
Administra	tor / N	otetaker Comments:
: Clinical Dec	cision	Support
e users were a	asked	to perform the following tasks for the usability testing for Clinical Decision Support.
		unter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic
Turn off	ciinica	you can provide it to your patient. Task rating on efficiency.
3 Onen ar		you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use.
	n enco	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic
informa	n encou tion so	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use.
informa	n encou tion so	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use.
informa 4. Turn off	n encou tion so clinica	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use.
informa 4. Turn off	n encoution so	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use. I support reminders for Rare Diseases for all providers in this practice. Task rating on efficiency.
informa 4. Turn off	encoution so clinica	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use. I support reminders for Rare Diseases for all providers in this practice. Task rating on efficiency. Easily completed
informa 4. Turn off	encoution so clinica	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use. I support reminders for Rare Diseases for all providers in this practice. Task rating on efficiency. Easily completed Completed with difficulty or help:: Describe below Not completed Comments:
informa 4. Turn off Success: Task Time:	encoution so clinica	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use. I support reminders for Rare Diseases for all providers in this practice. Task rating on efficiency. Easily completed Completed with difficulty or help:: Describe below Not completed Comments:
informa 4. Turn off Success: Task Time:	encoution so clinica	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use. I support reminders for Rare Diseases for all providers in this practice. Task rating on efficiency. Easily completed Completed with difficulty or help:: Describe below Not completed Comments: Seconds een A Screen B Drop Down B ¹ "OK" Button Screen X
informa 4. Turn off Success: Task Time:	n encou tion so clinica	you can provide it to your patient. Task rating on efficiency. I support reminders for Rare Diseases for all providers in this practice. Task rating on ease of use. Inter for this patient. In the Diabetic Foot Exam notification, find and print the diagnostic therapeutic you can provide it to your patient. Task rating on ease of use. I support reminders for Rare Diseases for all providers in this practice. Task rating on efficiency. Easily completed Completed with difficulty or help:: Describe below Not completed Comments: Seconds



Overall, this task was: Show participant has written scale: "Very Difficult" (1) to "Very Easy" (5) Administrator / Notetaker Comments:		
nlantable	Device List:	
•	sked to perform the following tasks for the usability testing for the Implantable Device List	
	t the patient's implantable device with the following details. Task rating on efficiency.	
	t the patient's implantable device with the following details. Task rating on ease of use.	
ıccess:		
	☐ Easily completed	
	Completed with difficulty or help:: Describe below	
aale Timaa	Not completed <i>Comments:</i>	
	Seconds Path: Screen $A \square$ Screen $B \square$ Drop Down $B^1 \square$ "OK" Button \square Screen X	
Optililai	□ Correct	
	☐ Minor Deviations / Cycles:: Describe below	
	☐ Major Deviations:: Describe below <i>Comments:</i>	
	Wilder Deviations Describe below comments.	
bserved Err	ors and Verbalizations:	
Comments:		
Rating:		
_	erall, this task was:	
Sho	ow participant has written scale: "Very Difficult" (1) to "Very Easy" (5)	
Administrat	tor / Notetaker Comments:	

8: Clinical Information Reconciliation and Incorporation

The users were asked to perform the following tasks for the usability testing for **Clinical Information Reconciliation** and **Incorporation.**

- 1. Generate the Continuity of Care document for Alex Test. -Efficiency Rating
- 2. Reconcile the problem list, medication, and allergy information sent in the Continuity of Care document and incorporate the data onto his chart. -Efficiency Rating
- 3. Navigate to the Continuity of Care Document and assign Alex Test as the patient. -Efficiency Rating
- 4. Reconcile the problem list, medication, and allergy information sent in the Continuity of Care document and incorporate the data on to his chart. Ease Rating



		Navigate to the Continuity of Care Document and assign Alex Test as the patient Ease Rating							
	6.	Gener	rate the Continuity of Care document for Alex Test Ease Rating						
Success:									
			Easily completed						
			Completed with difficulty or help :: Describe below						
			Not completed Comments:						
Task Tin	ne: _		Seconds						
Optimal	Pat	h: Scr	een A \square Screen B \square Drop Down B 1 \square "OK" Button \square Screen X…						
			Correct						
			Minor Deviations / Cycles:: Describe below						
			Major Deviations:: Describe below Comments:						
Observe	d Err	ors a	nd Verbalizations:						
Commen	ts:								
Rating:									
	Overall, this task was:								
	Show participant has written scale: "Very Difficult" (1) to "Very Easy" (5)								
Adminis	trato	or / N	otetaker Comments:						



Appendix 5: SYSTEM USABILITY SCALE QUESTIONNAIRE

Questionnaire	Very Difficult			Very Easy	
1. I think that I would like to use this system frequently.	1	2	3	4	5
2. I found the system unnecessarily complex.	1	2	3	4	5
3. I thought the system was easy to use.	1	2	3	4	5
4. I think that I would need the support of a technical person to be able to use this system.	1	2	3	4	5
5. I found the various functions in this system were well integrated.	1	2	3	4	5
6. I thought there was too much inconsistency in this system.	1	2	3	4	5
7. I would imagine that most people would learn to use this system very quickly.	1	2	3	4	5
8. I found the system very cumbersome to use.	1	2	3	4	5
9. I felt very confident using the System.	1	2	3	4	5
10. I needed to learn a lot of things before I could get going with this system	1	2	3	4	5

Final Questions

- a. What was your overall impression of this system?
- b. What aspects of the system did you like most?
- c. What aspects of the system did you like least?
- d. Were there any features that you were surprised to see?
- e. What features did you expect to encounter but did not see? That is, is there anything that is missing in this application?
- f. Compare this system to other systems you have used.
- g. Would you recommend this system to your colleagues?